

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

RESOLVE® High Traffic Foam Product Name

UPC CODES Refer to Section 16

CAS# Mixture Product use Carpet care Distributed by Reckitt Benckiser

Morris Corporate Center IV

399 Interpace Parkway

P.O. Box 225

Parsippany, NJ 07054-0225

In Case of Emergency: 1-800-228-4722 Transportation Emergencies: 24 Hour Number:

> North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA Severe 4 3 Serious Moderate 2 1 Slight Minimal 0





2. Hazards Identification

Emergency overview CAUTION

CONTENTS UNDER PRESSURE. Do not puncture or incinerate container.

DO NOT expose to heat or store at temperatures above 120°F (49°C).

Avoid freezing.

Contains no phosphates.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Not an eye irritant. (based on raw material data) **Eyes** Skin Not a skin irritant. (based on raw material data) Inhalation Not harmful. (based on raw material data) Not harmful (calculated LD50 > 5000 mg/kg) Ingestion

Target organs Skin. Eyes.

The finished product is not expected to have chronic health effects. Chronic effects

Symptoms may include redness, edema, drying, defatting and cracking of the skin. Signs and symptoms

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and

vomiting.

3. Composition / Information on Ingredients

Ingredient(s)	CAS#	Percent
DL-Aspartic acid, N-(3-carboxy-1-oxo-3-sulfopropyl)-N-octadecyl-, tetrasodium salt	38916-42-6	2.5 - 10
Isobutane	75-28-5	2.5 - 10
Propane	74-98-6	1 - 2.5
Ethanol	64-17-5	0.1 - 1

#20360 Page 1 of 7 Issue date 10-May-2010

4. First Aid Measures

First aid procedures

Eye contact In case of eye contact, IMMEDIATELY rinse thoroughly with water. Remove any contact

lenses and continue rinsing eyes for at least 15 minutes. Get medical attention.

Skin contact In case of skin contact, wash with soap and water. If irritation persists, get medical

attention

Inhalation In case of accident, move the person to fresh air. Use only as directed.

> NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information

visit www.inhalant.org.

Ingestion If swallowed, rinse mouth and drink a glass of water. Call a physician or Poison Control

Notes to physician Symptoms may be delayed.

General advice Avoid contact with eyes and skin. Keep out of reach of children. Immediate medical

attention is required. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. If you feel unwell, seek medical advice (show the label where

possible).

5. Fire Fighting Measures

Flammable properties

Extinguishing media

Aerosol flame extension less than 15 cm.

Suitable extinguishing media

Carbon dioxide. Water spray. Foam. Dry chemical powder.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from

the chemical

firefighters

Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

Firefighters should wear full protective clothing including self contained breathing

apparatus.

Hazardous combustion products

Protective equipment for

Explosion data

May include and are not limited to: Oxides of carbon. Oxides of sulphur.

Sensitivity to mechanical

impact

Not available

Sensitivity to static discharge

Not available

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Do not touch or walk through spilled material. Do

not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Methods for containment Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Stop leak if you can do so without risk. Prevent entry into waterways, sewers,

basements or confined areas.

Before attempting clean up, refer to hazard data given above. Remove sources of Methods for cleaning up

ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a

non-flammable absorbent such as sand or vermiculite.

7. Handling and Storage

CAUTION Handling

Contents under pressure.

Avoid contact with eyes, skin and clothing.

Page 2 of 7 #20360 Issue date 10-May-2010 Storage

Keep out of reach of children.

Keep away from heat, sparks, and flame. Do not puncture or incinerate container.

DO NOT expose to heat or store at temperatures above 120°F (49°C) as the container

may burst.

Store in a cool dry place inaccessible to children and pets.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information

visit www.inhalant.org.

8. Exposure Controls / Personal Protection

Exposure limits				
Ingredient(s)	Exposure Limits			
DL-Aspartic acid,	ACGIH-TLV			
N-(3-carboxy-1-oxo-3-sulfopropyl)-N-octadecyl-, tetrasodium salt	pyl)-N-octadecyl-, Not established			
	OSHA-PEL			
	Not established			
Ethanol	ACGIH-TLV			
	TWA: 1000 ppm	TWA: 1000 ppm		
	STEL: 1000 ppm			
	OSHA-PEL			
	TWA: 1000 ppm			
Isobutane	ACGIH-TLV			
	TWA: 1000 ppm			
	OSHA-PEL			
	Not established			
Propane	ACGIH-TLV			
	TWA: 1000 ppm			
	OSHA-PEL			
	TWA: 1000 ppm			
Engineering centrals	General ventilation permally adequate. Provide adequate ventilation			

Engineering controls

General ventilation normally adequate. Provide adequate ventilation.

Personal protective equipment

Eye / face protection Not normally required under normal use conditions.

Emergency responders should wear full eye and face protection.

No special requirements under normal use conditions. Hand protection

Emergency responders should wear impermeable gloves.

As required by employer code. Skin and body protection

Emergency responders should wear impermeable clothing and footwear when

responding to a situation where contact with the liquid is possible.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid

inhalation of vapours generated by this product during a spill or other clean-up

operations.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

When using do not eat or drink.

Washing with soap and water after use is recommended as good hygienic practice to

prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

Foamy Spray **Appearance**

white Color **Form** Aerosol. Characteristic Odor Odor threshold Not available

#20360 Issue date 10-May-2010 Page 3 of 7

Physical state Gas

pH 8.8 - 9.2 (Concentrate)

Freezing pointNot availablePour pointNot availableBoiling pointNot available

Flash point > 199.94 °F (> 93.3 °C) Tagliabue

Evaporation rate Not available Flammability limits in air, lower, % Not available

by volume

/ Net evelleble

Flammability limits in air, upper, %

by volume

Not available

Vapor pressure Not available

Vapor density > 1

Specific gravity 0.998 - 1.002
Octanol/water coefficient Not available
Solubility (H2O) Miscible
Auto-ignition temperature Not available

10. Stability and Reactivity

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Aerosol containers are unstable at temperatures above 49°C (120.2°F).

DO NOT MIX WITH BLEACH or use in conjunction with other household products.

Incompatible materials Acids. Caustics.

Hazardous decomposition products May include and are not limited to: Oxides of carbon. Oxides of sulphur.

Possibility of hazardous reactions Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50	LC50	
Ingredient(s)	LC50	
DL-Aspartic acid, N-(3-carboxy-1-oxo-3-sulfopropyl)-N-octadecyl-, tetrasodium salt	Not available	
Ethanol	31623 ppm rat	
Isobutane	658 mg/l/4h rat	
Propane	Not available	
Component analysis - Oral LD50		
Ingredient(s)	LD50	
DL-Aspartic acid, N-(3-carboxy-1-oxo-3-sulfopropyl)-N-octadecyl-, tetrasodium salt	6500 mg/kg rat	
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat	
Isobutane	Not available	
Propane	Not available	

Effects of acute exposure

EyeNot an eye irritant. (based on raw material data)SkinNot a skin irritant. (based on raw material data)InhalationNot harmful. (based on raw material data)IngestionNot harmful (calculated LD50 > 5000 mg/kg)

Sensitization The finished product is not expected to have chronic health effects.

Chronic effects The finished product is not expected to have chronic health effects.

Carcinogenicity The finished product is not expected to have chronic health effects.

ACGIH - Threshold Limit Values - Carcinogens

Ethanol 64-17-5 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

IARC - Group 1 (Carcinogenic to Humans)

Ethanol 64-17-5 Monograph 96 [in preparation] (in alcoholic beverages)

MutagenicityThe finished product is not expected to have chronic health effects.Reproductive effectsThe finished product is not expected to have chronic health effects.TeratogenicityThe finished product is not expected to have chronic health effects.

Synergistic Materials Not available

12. Ecological Information

Ecotoxicity See below

Ecotoxicity - Freshwater Fish Species Data

Ethanol 64-17-5 96 Hr LC50 Oncorhynchus mykiss: 12.0-16.0 ml/L [static]; 96 Hr LC50 Pimephales

promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400-15100 mg/L

[flow-through]

Ecotoxicity - Water Flea Data

Ethanol 64-17-5 48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800

mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]

Environmental effects

Aquatic toxicity

Persistence / degradability

Bioaccumulation / accumulation

Partition coefficient

Mobility in environmental media

Chemical fate information

Not available

Not available

Not available

13. Disposal Considerations

Waste codes Not available

Disposal instructions Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Not available

Contaminated packaging Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN 1950, Aerosols, Class 2.2, Re-classed as Consumer Commodity ORM-D

Transportation of	Dangerous	Goods	(TDG -	Canada)
-------------------	-----------	-------	--------	---------

UN 1950, Aerosols, Class 2.2, Re-classed as Consumer Commodity/ LTD. QTY.

IMDG (Marine Transport)

UN 1950, Aerosols, Class 2.2, Limited Quantity

IATA/ICAO (Air)

UN1950, Aerosols, Non-Flammable, Class 2.2, Limited Quantity, Consumer Commodity, ID 8000 if acceptable to air carrier.

15. Regulatory Information

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

Product Registration: Not registered

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical

Yes

#20360 Page 6 of 7 Issue date 10-May-2010

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

Not available Clean Air Act (CAA) Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause

cancer, birth defects or other reproductive harm.

U.S. - Massachusetts - Right To Know List

Ethanol 64-17-5 Teratogen Isobutane 75-28-5 Present Propane 74-98-6 Present

U.S. - Minnesota - Hazardous Substance List

Ethanol Present

Propane 74-98-6 Simple asphyxiant

U.S. - New Jersey - Right to Know Hazardous Substance List

Ethanol 64-17-5 sn 0844 Isobutane 75-28-5 sn 1040 Propane 74-98-6 sn 1594

U.S. - Pennsylvania - RTK (Right to Know) List

Ethanol 64-17-5 Present 75-28-5 Isobutane Present Propage 74-98-6 Present

U.S. - Rhode Island - Hazardous Substance List

Ethanol 64-17-5 Toxic; Flammable 74-98-6 Toxic; Flammable Propane

Inventory status

On inventory (yes/no)* Country(s) or region Inventory name United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

This product should only be used as directed on the label and for the purpose intended. **Disclaimer**

> To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only

Yes

hazards that exist.

Further information 59631-41015 - 623 g - RESOLVE® High Traffic Foam - 0147465

Issue date 10-May-2010 01-May-2010 Effective date

Prepared by Reckitt Benckiser Regulatory Department 800-333-3899

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.