SAFETY DATA SHEET

AirWick Vaporino Noel

1. Product and company identification

Product name	: AirWick Vaporino Noel
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
	Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com

Product use : Air care, continuous action (solid and liquid)

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	: D8358397 v2.0
Formulation #	: 3084911 v1.0

Relevant identified uses of the substance or mixture and uses advised against

2. Hazards identification			

Classification of the substance or mixture

: FLAMMABLE LIQUIDS - Category 4

substance or mixture

GHS label elements

Hazard pictograms Signal word

Not applicable.Warning

Code # : 3084911_D8358397_NASDS # :

1/12



2. Hazards identification

	· Combustible liquid
Hazard statements	: Combustible liquid.
Precautionary statements	
General	 Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wear protective gloves. Wear eye or face protection. Keep away from flames and hot surfaces No smoking.
Response	: Not applicable.
Storage	: Store in a well-ventilated place. Keep cool.
Disposal	 Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	%	CAS number
	≥60 - ≤80 ≥10 - ≤30	64742-47-8 90622-58-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary firs	t aid measures
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

4. First aid measures

Most important symptoms/	effects, acute and delayed
Potential acute health effe	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/sym</u>	<u>otoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

5. Fire-fighting measures Extinguishing media Suitable extinguishing : Use dry chemical, CO₂, water spray (fog) or foam. media **Unsuitable extinguishing** : Do not use water jet. media Specific hazards arising : Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a from the chemical subsequent explosion. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. **Hazardous thermal** : Decomposition products may include the following materials: carbon dioxide decomposition products carbon monoxide : Promptly isolate the scene by removing all persons from the vicinity of the incident if Special protective actions there is a fire. No action shall be taken involving any personal risk or without suitable for fire-fighters training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. : Fire-fighters should wear appropriate protective equipment and self-contained breathing **Special protective** apparatus (SCBA) with a full face-piece operated in positive pressure mode. equipment for fire-fighters

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

Protective measures :	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, : including any incompatibilities	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

8. Exposure controls/personal protection

Control

Occupational exposure limits

Ingredient name	Exposure limits	Exposure limits	
Distillates (petroleum), hydi	reated light ACGIH TLV (United States, 3/2018). Absorbed through skin. TWA: 200 mg/m³, (as total hydrocarbor vapor) 8 hours.	n	
Appropriate engineering controls	: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation other engineering controls to keep worker exposure to airborne contaminants below recommended or statutory limits. The engineering controls also need to keep gas vapor or dust concentrations below any lower explosive limits. Use explosion-proventilation equipment.	ow any s,	
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensu they comply with the requirements of environmental protection legislation. In som cases, fume scrubbers, filters or engineering modifications to the process equipm will be necessary to reduce emissions to acceptable levels.	ne	
Individual protection meas	es		
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, bef eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothin Wash contaminated clothing before reusing. Ensure that eyewash stations and s showers are close to the workstation location.	ng.	
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists gases or dusts. If contact is possible, the following protection should be worn, un the assessment indicates a higher degree of protection: safety glasses with side-shields.	s, Iess	
Skin protection			
Hand protection	: Considering the parameters specified by the glove manufacturer, check during us the gloves are still retaining their protective properties. It should be noted that the to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protime of the gloves cannot be accurately estimated.	e time	
Body protection	: Personal protective equipment for the body should be selected based on the task performed and the risks involved and should be approved by a specialist before handling this product.	being	
Other skin protection	: Appropriate footwear and any additional skin protection measures should be select based on the task being performed and the risks involved and should be approved specialist before handling this product.		
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other importa aspects of use.		

9. Physical and chemical properties

<u>Appearance</u>		
Physical state	: Liquid. [Clear.]	
Color	: COLOURLESS TO PALE YELLOW	
Odor Odor threshold	Aromatic Spice Not available.	
Code # : 3084911_D83583	3397_NASDS # : D8358397 v2.0 Date of issue : 25/02/2020 5/	/12

9. Physical and chemical properties

Viscosity	: Not available.
Decomposition temperature	
Auto-ignition temperature	: Not available.
Partition coefficient: n- octanol/water	: Not available.
Solubility	: Not available.
Relative density	: Not available.
Vapor density	: Not available.
Vapor pressure	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Flammability (solid, gas)	: Not available.
Evaporation rate	: Not available.
Flash point	: Closed cup: 75°C (167°F)
Boiling point	: Not available.
Melting point	: Not available.
рН	: Not available.

10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	 Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Incompatible materials	 Reactive or incompatible with the following materials: oxidizing materials
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Distillates (petroleum), hydrotreated light	LD50 Dermal LD50 Oral	Mammal - species unspecified Mammal - species	>3160 mg/kg >15000 mg/kg	-
		unspecified		

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Irritation/Corrosion

Not available.

	Conc	lusion	/Summary
--	------	--------	----------

Skin	1	Based on available data, the classification criteria are not met.
------	---	---

Eyes : Based on available data, the classification criteria are not met.

11. Toxicological information				
Respiratory Sensitization Not available.	: Based on available data, the classification criteria are not met.			
<u>Conclusion/Summary</u> Skin Respiratory	 Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. 			
Mutagenicity Not available.				
Conclusion/Summary Carcinogenicity Not available.	: Based on available data, the classification criteria are not met.			
Conclusion/Summary <u>Reproductive toxicity</u> Not available.	: Based on available data, the classification criteria are not met.			
Conclusion/Summary <u>Teratogenicity</u> Not available.	: Based on available data, the classification criteria are not met.			
Conclusion/Summary	: Based on available data, the classification criteria are not met.			
Specific target organ tox Not available.	<u>icity (single exposure)</u>			

Specific target organ toxicity (repeated exposure)

Not available.

Ingestion

Aspiration hazard

Name	Result
C11-15-Isoalkanes	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure	: Not available.				
Potential acute health effects					
Eye contact	: No known significant effects or critical hazards.				
Inhalation	: No known significant effects or critical hazards.				
Skin contact	: No known significant effects or critical hazards.				
Ingestion	: No known significant effects or critical hazards.				
Symptoms related to the physical, chemical and toxicological characteristics					
Eye contact	: No specific data.				
Inhalation	: No specific data.				
Skin contact	: No specific data.				

: No specific data.

11. Toxicological information

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
<u>Long term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Not available.		
Conclusion/Summary	:	Based on available data, the classification criteria are not met.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

N/A

Tavialta

12. Ecological information

Product/ingredient name	Result	Species	Exposure
Distillates (petroleum), hydrotreated light	Acute LC50 5900 µg/l Fresh water	Fish - Lepomis macrochirus	4 days
, .	Acute LC50 2200 µg/l Fresh water	Fish - Lepomis macrochirus	4 days
	Acute LC50 2600 µg/l Fresh water	Fish - Oncorhynchus mykiss	4 days

Conclusion/Summary : Based on available data, the classification criteria are not met.

Persistence and degradability

Conclusion/Summary : Based on available data, the classification criteria are not met.

Bioaccumulative potential

Not available.

```
Mobility in soil
 Soil/water partition
 coefficient (Koc)
```

: Not available.

12. Ecological information

Other adverse effects

: No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods
 The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

	TDG Classification	DOT Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

15. Regulatory information

U.S. Federal regulations	:
Clean Air Act Section 112	: Not listed
(b) Hazardous Air	
Pollutants (HAPs)	
Clean Air Act Section 602	: Not listed
Class I Substances	

15. Regulatory information

,, _,, _				
Clean Air Act Section 602 : No Class II Substances	ot listed			
DEA List I Chemicals : No (Precursor Chemicals)	ot listed			
DEA List II Chemicals : No (Essential Chemicals)	ot listed			
SARA 302/304				
<u>Composition/information on ingredients</u>				
<u>composition/mormation on ingredients</u>				
No products were found.				
SARA 304 RQ : Not applicable.				
SARA 311/312				
Classification : FLAMMABLE LIQUIDS - Category 4				
Composition/information on ingredients				
Name	%	Classification		
Distillates (petroleum),	≥60 - ≤80	FLAMMABLE LIQUIDS - Category 3		
hydrotreated light				
C11-15-Isoalkanes	≥10 - ≤30	FLAMMABLE LIQUIDS - Category 4		
		ASPIRATION HAZARD - Category 1		
Dipropylene glycol monomethyl ether	≥5 - ≤10	FLAMMABLE LIQUIDS - Category 4		

State regulations

Massachusetts	: The following components are listed: DIPROPYLENE GLYCOL METHYL ETHER
New York	: None of the components are listed.
New Jersey	 The following components are listed: DIPROPYLENE GLYCOL METHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL
Pennsylvania California Prop. 65	: The following components are listed: PROPANOL, (2-METHOXYMETHYLETHOXY)-

This product does not require a Safe Harbor warning under California Prop. 65.

Label elements

CPSC	
Signal word Hazard statements Precautionary measures	 CAUTION EYE IRRITANT. Prolonged or frequent skin contact may cause an allergic reaction. KEEP OUT OF REACH OF CHILDREN AND PETS. Avoid contact with eyes, skin and clothing. DO NOT ingest. Use in well ventilated areas. Contains fragrance oils. Wash hands after handling.
CCCR	
Signal word	: CAUTION
Hazard statements	: IRRITANT May irritate eyes. Prolonged or frequent skin contact may cause an allergic reaction.
Precautionary measures	: Avoid contact with eyes, skin and clothing. DO NOT ingest. Use in well ventilated areas. KEEP OUT OF REACH OF CHILDREN AND PETS. Contains fragrance oils. Wash hands after handling.
A delition of the former of the state	e e construction de la construction

Additional information / Recommendations

15. Regulatory information		
Additional information	: If swallowed, DO NOT induce vomiting. Call a physician or Poison Control Center immediately. If in eyes, rinse eyes with water. Remove any contact lenses and continue to rinse eyes for at least 15 minutes. If on skin, wash area with soap and water. If irritation persists, get medical attention. Discontinue use immediately and get medical attention if a reaction develops.	
Recommendations	 People suffering from perfume sensitivity should be cautious when using this product. Air fresheners aerosol (aqueous, non aqueous, concentrated (mini-aerosol)) for consumer use 	

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



NFPA (30B) aerosol Flammability No known significant effects or critical hazards.

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	: ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973
	as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	UN = United Nations
	HMIS Health Hazard 1= Irritation or minor reversible injury possible.
	NFPA Health Hazard 1= Exposure would cause irritation with only minor residual injury.

16. Other information

Date of issue	: 25/02/2020
Date of previous issue	: 11/01/2019
Version	: 2.0
Prepared by	: Reckitt Benckiser India Ltd Plot No 48 Sector - 32 Institutional Area Gurgaon, Haryana India - 122001

Revision comments : Update of PSDS

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.