# **RECKITT** BENCKISER

# **Material Safety Data Sheet**

Section 1. Product and Company Identification Product Name METALIST® FLOOR SEALER MSDS# Not available. Validation Date 6/16/2009 **Product Description** Professional acrylic floor sealer. Print Date 6/16/2009 Manufacturer Reckitt Benckiser North America, Inc. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) In case of Telephone: 800-677-9218 Emergency: Parsippany, N.J. 07054-0225 (Professional Products) **Product Identifier** Not available. **Transportation** Chemtrec: 1-800-424-9300 Emergencies: Item Number 376320 (U.S. & Canada) Outside the U.S & Canada (North America), call: 703-527-3887 Formula Number 738-020A **UPC Number** 36241-04905 (5 gal.) Section 2. Composition and Information on Ingredients CAS# % by Weight Name **Exposure Limits : TLV/PEL** 1) DIETHYLENE GLYCOL MONOETHYL 111-90-0 4.0 Not available. ETHER Section 3. Hazards Identification **Emergency Overview** KEEP OUT OF REACH OF CHILDREN Section 4. First Aid Measures **Eye Contact** As with any material contacting the eye, it is recommended to rinse the eyes thoroughly with water. Skin Contact In keeping with good hygienic practices, wash thoroughly with soap and water. Inhalation None normally required. Remove to fresh air. Ingestion Rinse mouth with water. Contact a physician or poison control center if symptoms develop. NEVER give an unconscious person anything to ingest. Section 5. Fire and Explosion Data Flammability Not flammable. See Section 14 for any Shipping Classifications. **Flash Point** CLOSED CUP: Higher than 93.3°C (>200°F). (Tagliabue.). **Explosive Limits in Air** Not available. **Products of Combustion** Not available. **Fire and Explosion Hazards** None known. Continued on Next Page

MFTAI	IST®	FI OOR	SEALER
	1010		

Fire Fighting Media and Instructions Use water spray, foam, dry chemical or carbon dioxide, as suitable for surrounding fire.

**Special Fire Fighting** Wear self-contained breathing apparatus and protective clothing appropriate for fighting a typical chemical fire. **Instructions** 

# Section 6. Accidental Release Measures

 Accidental Spill
 Small spills: Dilute with water and mop up, or absorb with an inert material and place in an appropriate waste disposal container.

 Large spills should be diked, contained and collected for later disposal according to local, state or federal regulations.

## Section 7. Handling and Storage

Handling and Storage

KEEP OUT OF REACH OF CHILDREN.

Store in a cool, dry location. Keep from freezing. Do not pour unused product back into container.

WARNING: Child can fall into 5 gal. bucket and drown. Keep children away from 5 gallon buckets with even a small amount of liquid.

Page Number: 2

# Section 8. Exposure Controls/Personal ProtectionVentilation RequirementsNone required.Eye ProtectionNone required.Skin ProtectionNone required.Respiratory ProtectionNone required.Other ProtectionNone required.Work/Hygienic PracticesNone required.

# Section 9. Physical and Chemical Properties

De verster til en	Linuid (Thin One much linuid)		
Description	Liquid. (Thin. Opaque liquid.)	Odor	Acrylic odor.
рН	8.75 [Basic.]	Color	Off-white.
Boiling/Condensation Point	Not determined.		
Specific Gravity	1.023 (Water = 1)		
Vapor Pressure	Not determined.		
Vapor Density	>1		
Viscosity	Not available.		
Solubility	Miscible.		
Physical Chemical Comments	Not available.		

# METALIST® FLOOR SEALER

Section 10. Stability	and Reactivity Data
Chemical Stability	The product is stable.
Conditions of Instability	None known.
Incompatibility with Various Substances	Acids.
Hazardous Decomposition Products	None known.
Hazardous Polymerization	Will not occur.
Section 11. Toxicolo	gical Information
Exposure effects	
Eye Contact	None known.
Skin Contact	None known.
Inhalation	None known.
Ingestion	None known.
Carcinogenicity	Not listed as carcinogenic by OSHA, NTP or IARC.
Section 12. Ecologic	al Information
Ecotoxicity	Not available.
Section 13. Disposal	Considerations
Waste Disposal	The disposal of the product must be made in accordance with all governmental regulations.

													a																															

DOT Classification	Not regulated by DOT (United States).	
Proper Shipping Name	Not applicable.	
DOT Identification Number	Not applicable.	
Packing Group	Not applicable.	
Maritime Transportation	Not available.	
Hazardous Substances Reportable Quantity	Not applicable.	
Special Provisions for Transport	Not applicable.	
TDG Classification	Not regulated by TDG.	
ADR Classification	Not applicable.	
IMDG Classification	Not regulated by IMDG.	

Continued on Next Page

### **METALIST® FLOOR SEALER** Page Number: 4 **IATA Classification** Not regulated by IATA. Section 15. Regulatory Information **Federal and State** SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting: Regulations 1) DIETHYLENE GLYCOL MONOETHYL ETHER CAS #: 111-90-0 % 4.0 California Proposition 65: This product contains the following ingredients which require a warning under the Safe Drinking Water & Toxic Enforcement Act: None **Other Classifications** WHMIS (Canada) Not controlled under WHMIS (Canada). New Jersey Right-To-Know WATER CAS #: 7732-18-5 ACRYLIC COPOLYMER CAS #: N/A **Regulation:** DIETHYLENE GLYCOL MONOETHYL ETHER CAS #: 111-90-0 TRIBUTOXYETHYL PHOSPHATE CAS #: 78-51-3 POLYETHYLENE EMULSION CAS #: N/A

Section 16. Other Info	ormation			
HMIS (U.S.A.)	Decision0Fire Hazard0Reactivity0Personal ProtectionA	National Fire Protection Association (U.S.A.)	Health	Fire Hazard 0 0 Reactivity Specific hazard
		<u>NFPA Aerosol Level</u>	Not ap	plicable.
Reviewed by Regulatory on 6/16	5/2009.	Printed 6/16/2009.		

# <u>Notice to Reader</u>

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.