Conforms to USDOL OSHA 29CFR 1910.1200 HAZCOM

SAFETY DATA SHEET

Lysol Automatic Toilet Bowl Cleaner - Lemon Breeze



1. Product and company identification

| Product name | : Lysol Automatic Toilet Bowl Cleaner - Lemon Breeze |
|---|--|
| Distributed by | : Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000 |
| Emergency telephone number (Medical) | : 1-800-338-6167 |
| Emergency telephone number (Transport) | : 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887 |
| Website: | : http://www.rbnainfo.com |
| | |

Product use

: Toilet bowl cleaner

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

| SDS # | : D8280494 v1.0 |
|------------------|--|
| Formulation #: | : Lemon Breeze: (e0061-153) 8261853 v1.0 |
| UPC Code / Sizes | Toilet block / Blister front and laminate foil back Double blister packs (2 x 40g; 80g) Eight blister pack for US Marine Club (8 x 40g; 320) |

2. Hazards identification

Classification of the : SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 substance or mixture

GHS label elements Hazard pictograms



| Signal word | : Danger |
|-------------------|---|
| Hazard statements | : Causes serious eye damage. Causes skin irritation. |

SDS #

| Code # | : FF8261853 |
|--------|----------------|
| | (D8280494) CAN |

g)

2. Hazards identification

Precautionary statements

| General | : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. | |
|----------------------------------|--|--|
| Prevention | : Wear protective gloves. Wear eye or face protection. Wash hands thoroughly after handling. | |
| Response | : IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. | |
| Storage | : Not applicable. | |
| Disposal | : Not applicable. | |
| Supplemental label elements | : None known. | |
| Hazards not otherwise classified | : None known. | |

3. Composition/information on ingredients

| Substance/mixture | Su | bs | tar | 1ce/ | m | ixtu | re |
|-------------------|----|----|-----|------|---|------|----|
|-------------------|----|----|-----|------|---|------|----|

: Mixture

| Ingredient name | % | CAS number |
|---|---------|------------|
| sodium dodecylbenzenesulfonate | 15 - 30 | 25155-30-0 |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 15 - 30 | 68439-57-6 |
| 2,6-dimethyloct-7-en-2-ol | 1 - 2.5 | 18479-58-8 |
| Limonene; dipentene | 0.1 - 1 | 138-86-3 |
| p-mentha-1,4(8)-diene | 0.1 - 1 | 586-62-9 |
| 2-methylundecanal | 0.1 - 1 | 110-41-8 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures

| Eye contact | : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. |
|--------------|---|
| Inhalation | : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse. |

| 4. First aid measu | ires |
|--------------------------------|--|
| Ingestion | : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Most important symptoms/ | effects, acute and delayed |
| Potential acute health effe | <u>cts</u> |
| Eye contact | : Causes serious eye damage. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : Causes skin irritation. |
| Ingestion | : No known significant effects or critical hazards. |
| <u>Over-exposure signs/sym</u> | <u>otoms</u> |
| Eye contact | : Adverse symptoms may include the following: pain watering redness |
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: pain or irritation redness blistering may occur |
| Ingestion | : Adverse symptoms may include the following: stomach pains |
| Indication of immediate me | dical attention and special treatment needed, if necessary |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to |

See toxicological information (Section 11)

| 5. Fire-fighting measures | | |
|--------------------------------|---|--|
| Extinguishing media | | |
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. | |
| Unsuitable extinguishing media | : None known. | |

give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water

before removing it, or wear gloves.

5. Fire-fighting measures

| Specific hazards arising from the chemical | : Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. |
|--|---|
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | |

6. Accidental release measures

| Personal precautions, protec | tiv | e equipment and emergency procedures |
|--------------------------------|-----|---|
| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. |
| Methods and materials for co | ont | ainment and cleaning up |
| Small spill | : | Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

7. Handling and storage

Precautions for safe handling

Protective measures
 Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

7. Handling and storage

Conditions for safe storage, including any incompatibilities
 Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Control

Occupational exposure limits

| Ingredient name | | Exposure limits | | |
|------------------------------------|--|--|--|--|
| Limonene; dipentene | | AIHA WEEL (United States, 10/2011). TWA: 30 ppm 8 hours. | | |
| Appropriate engineering controls | local exhaust ventilation or othe | st, fumes, gas, vapor or mist, use process enclosures, er engineering controls to keep worker exposure to ny recommended or statutory limits. | | |
| Environmental exposure controls | they comply with the requireme cases, fume scrubbers, filters of | sions from ventilation or work process equipment should be checked to ensure comply with the requirements of environmental protection legislation. In some s, fume scrubbers, filters or engineering modifications to the process equipment be necessary to reduce emissions to acceptable levels. | | |
| ndividual protection measu | res | | | |
| Hygiene measures | eating, smoking and using the Appropriate techniques should | the thoroughly after handling chemical products, before lavatory and at the end of the working period. be used to remove potentially contaminated clothing. efore reusing. Ensure that eyewash stations and safety station location. | | |
| Eye/face protection | assessment indicates this is ne gases or dusts. If contact is po the assessment indicates a hig | ety eyewear complying with an approved standard should be used when a risk essment indicates this is necessary to avoid exposure to liquid splashes, mists, es or dusts. If contact is possible, the following protection should be worn, unless assessment indicates a higher degree of protection: chemical splash goggles and/ ice shield. If inhalation hazards exist, a full-face respirator may be required instead. | | |
| Skin protection | | | | |
| Hand protection | worn at all times when handling necessary. Considering the pa during use that the gloves are s noted that the time to breakthro | gloves complying with an approved standard should be g chemical products if a risk assessment indicates this is arameters specified by the glove manufacturer, check still retaining their protective properties. It should be bugh for any glove material may be different for different ase of mixtures, consisting of several substances, the annot be accurately estimated. | | |
| Body protection | | for the body should be selected based on the task being ed and should be approved by a specialist before | | |
| Other skin protection | | additional skin protection measures should be selected med and the risks involved and should be approved by a product. | | |
| Respiratory protection | appropriate standard or certific | ntial for exposure, select a respirator that meets the ation. Respirators must be used according to a to ensure proper fitting, training, and other important | | |

9. Physical and chemical properties

Appearance

| Physical state | : Solid. [Block] | |
|--|------------------------------|-----|
| Color | : Yellow. [Light] | |
| Odor | : Characteristic. | |
| Odor threshold | : Not available. | |
| рН | : Not available. | |
| Melting point | : Not available. | |
| Boiling point | : Not available. | |
| Flash point | : Closed cup: >96°C (>204.8° | 'F) |
| Evaporation rate | : Not available. | |
| Flammability (solid, gas) | : Not available. | |
| Lower and upper explosive (flammable) limits | : Not available. | |
| Vapor pressure | : Not available. | |
| Vapor density | : Not available. | |
| Relative density | : Not available. | |
| Solubility | : Not available. | |
| Partition coefficient: n- octanol/water | : Not available. | |
| Auto-ignition temperature | : Not available. | |
| Decomposition temperature | : Not available. | |
| Viscosity | : Not available. | |
| Flow time (ISO 2431) | : Not available. | |

10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|---------------------------------------|--|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : Protect from moisture. |
| Incompatible materials | : Do not mix with household chemicals. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

11. Toxicological information

Information on toxicological effects

Acute toxicity

SDS #

11. Toxicological information

| J | | | | 1 |
|---|--------------------------|-----------------------|---------------------------|----------|
| Product/ingredient name | Result | Species | Dose | Exposure |
| sodium dodecylbenzenesulfonate | LD50 Oral | Rat - Male, Female | 1080 mg/kg | - |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | LD50 Oral | Rat | 2310 mg/kg | - |
| 2,6-dimethyloct-7-en-2-ol | LD50 Dermal LD50 Oral | Rabbit Rat | >5000 mg/kg 3600 mg/kg | - |
| Limonene; dipentene p-mentha-1,4(8)-diene | LD50 Oral LD50 Oral | Rat Rat | 5300 mg/kg 4390 mg/kg | - |
| 2-methylundecanal | LD50 Dermal LD50 Oral | Rabbit Rat | >10 g/kg >5 g/kg | - |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-----------------------------------|--------------------------|---------|-------|----------------------------|-------------|
| sodium dodecylbenzenesulfonate | Eyes - Severe irritant | Rabbit | - | 24 hours 250 Micrograms | - |
| | Eyes - Severe irritant | Rabbit | - | 1 Percent | - |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 20 milligrams | - |
| 2,6-dimethyloct-7-en-2-ol | Skin - Mild irritant | Rabbit | - | 24 hours 500 milligrams | - |
| | Eyes - Mild irritant | Rabbit | - | 7.5 Percent | - |
| | Skin - Mild irritant | Rabbit | - | 4 hours 0.5 Mililiters | - |
| Limonene; dipentene | Skin - Moderate irritant | Rabbit | - | 24 hours 500 milligrams | - |
| p-mentha-1,4(8)-diene | Skin - Moderate irritant | Rabbit | - | 24 hours 10 Percent | - |

| Conclusion/Summary | |
|------------------------|---|
| Skin | : Based on Calculation method: Irritating to skin. |
| Eyes | : Based on Calculation method: Causes serious eye damage. |
| Respiratory | : Based on available data, the classification criteria are not met. |
| Sensitization | |
| Not available. | |
| Conclusion/Summary | |
| Skin | : Based on available data, the classification criteria are not met. |
| Respiratory | : Based on available data, the classification criteria are not met. |
| Mutagenicity | |
| Not available. | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Carcinogenicity | |
| Not available. | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Reproductive toxicity | |
| Not available. | |
| Code # : FF8261853 | SDS # : D8280494 v1.0 Date of issue : 23/11/2016 |
| (D8280494) CAN | |

7/13

11. Toxicological information

Conclusion/Summary : Based on available data, the classification criteria are not met.

Teratogenicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

| Potential acute health effects | | |
|--------------------------------|---|---|
| Eye contact | : | Causes serious eye damage. |
| Inhalation | : | No known significant effects or critical hazards. |
| Skin contact | : | Causes skin irritation. |
| Ingestion | : | No known significant effects or critical hazards. |

Symptoms related to the physical, chemical and toxicological characteristics

| Eye contact | : Adverse symptoms may include the following: pain watering redness |
|--------------|--|
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: pain or irritation redness blistering may occur |
| Ingestion | : Adverse symptoms may include the following: stomach pains |

| Delayed and immediate effect | ts and also chronic effects from short and long term exposure |
|--------------------------------------|---|
| Short term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Long term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health eff | <u>ects</u> |
| Not available. | |
| Conclusion/Summary | : Based on available data, the classification criteria are not met. |
| Code # : FF8261853 (D8280494) CAI | SDS # : D8280494 v1.0 Date of issue : 23/11/2016 |

11. Toxicological information

| General | : No known significant effects or critical hazards. |
|------------------------------|---|
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Teratogenicity | : No known significant effects or critical hazards. |
| Developmental effects | : No known significant effects or critical hazards. |
| Fertility effects | : No known significant effects or critical hazards. |

Numerical measures of toxicity

| Acute toxicity estimates | |
|--------------------------|--------------|
| Route | ATE value |
| Oral | 3484.7 mg/kg |

12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|---|--|--|----------|
| sodium dodecylbenzenesulfonate | Acute EC50 29000 µg/l Fresh water | Algae - Chlorella pyrenoidosa - Exponential growth phase | 96 hours |
| | Acute EC50 7.81 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute EC50 5.88 ppm Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute IC50 112.4 mg/l | Algae - Pseudokirchneriella subcapitata - Exponential growth phase | 72 hours |
| | Acute LC50 1.18 ppm Fresh water | Fish - Lepomis macrochirus | 96 hours |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Acute EC50 4.53 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| Limonene; dipentene | Acute EC50 28.2 mg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute EC50 20.2 mg/l Fresh water | Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) | 96 hours |
| | Acute IC50 13.798 mg/l Fresh water | Algae - Pseudokirchneriella subcapitata | 96 hours |
| p-mentha-1,4(8)-diene | Acute EC50 1380 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute EC50 763 µg/l Fresh water | Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) | 96 hours |
| | Chronic NOEC 30 to 950 µg/l Fresh water | Algae - Pseudokirchneriella subcapitata | 96 hours |

Persistence and degradability

Not available.

Bioaccumulative potential

Code # : FF8261853 (D8280494) CAN SDS #

| 12. Ecological information | | | |
|---|--------------|-----------|-------------|
| Product/ingredient name | LogPow | BCF | Potential |
| sodium dodecylbenzenesulfonate | 1.96 | - | low |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | -1.3 | - | low |
| 2,6-dimethyloct-7-en-2-ol Limonene; dipentene | 3.25 4.57 | 64.8 - | low high |
| p-mentha-1,4(8)-diene | 4.47 | - | high |

Mobility in soil

| Soil/water partition | : Not available. |
|----------------------|------------------|
| coefficient (Koc) | |

Other adverse effects : This material is harmful to aquatic life with long lasting effects.

13. Disposal considerations

| Disposal methods | : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains |
|------------------|--|
| | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. |

14. Transport information

Not a DOT controlled material (United States). Not a TDG-controlled material. This preparation is not classified as dangerous according to international transport regulations (ADR/RID, IMDG or ICAO/IATA).

15. Regulatory information

(D8280494) CAN

| U.S. Federal regulations | TSCA 8(a) PAIR: decanal; octanal; 2-methylundecanal; undecanal; citronellal; bornar one; α-hexylcinnamaldehyde TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined. Clean Water Act (CWA) 311: sodium dodecylbenzenesulfonate | | | |
|---|---|--|--|--|
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : Not listed | | | |
| Clean Air Act Section 602 Class I Substances | : Not listed | | | |
| Clean Air Act Section 602 Class II Substances | : Not listed | | | |
| Code # : FF8261853 | SDS # : D8280494 v1.0 Date of issue : 23/11/2016 10/13 | | | |

15. Regulatory information

| DEA List I Chemicals | 1 | Not listed |
|-----------------------|---|------------|
| (Precursor Chemicals) | | |

DEA List II Chemicals : Not listed (Essential Chemicals)

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification

: Immediate (acute) health hazard

Composition/information on ingredients

| Name | % | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|--|--------------------|----------------|----------------------------------|------------|--|--|
| sodium dodecylbenzenesulfonate Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 15 - 30 15 - 30 | Yes. No. | No. No. | No. No. | Yes. Yes. | No. No. |
| 2,6-dimethyloct-7-en-2-ol | 1 - 2.5 | Yes. | No. | No. | Yes. | No. |
| Limonene; dipentene | 0.1 - 1 | Yes. | No. | No. | Yes. | No. |
| p-mentha-1,4(8)-diene | 0.1 - 1 | Yes. | No. | No. | Yes. | No. |
| 2-methylundecanal | 0.1 - 1 | Yes. | No. | No. | No. | No. |

State regulations

| Massachusetts | The following components are listed: SODIUM SULFATE (SOLUTION); SODIUM DODECYLBENZENE SULFONATE; PRECIPITATED SILICA |
|--------------------------------------|---|
| New York | The following components are listed: Sodium dodecylbenzene sulfonate; Dodecylbenzene sulfonate |
| New Jersey | : The following components are listed: SODIUM DODECYLBENZENE SULFONATE; BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; SILICA, AMORPHOUS, PRECIPITATE & GEL |
| Pennsylvania | : The following components are listed: SODIUM SULFATE (SOLUTION); BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; PRECIPITATED SILICA |
| <u>Canada</u> | |
| WHMIS (Canada) | : Class D-2B: Material causing other toxic effects (Toxic). |
| <u>Canadian lists</u> | |
| Canadian NPRI | : None of the components are listed. |
| CEPA Toxic substances | : None of the components are listed. |
| Canada inventory | : Not determined. |
| Label elements | |
| Signal word | : CAUTION |
| Hazard statements | : IRRITANT |
| | MAY IRRITATE EYES MAY IRRITATE SKIN |
| Precautionary measures | : Do not get in eyes. Do not get on skin or clothing. |
| Code # : FF8261853 (D8280494) CAI | SDS # : D8280494 v1.0 Date of issue : 23/11/2016 11/13 |


t

2

D8280494 v1.0

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

| Key to abbreviations | : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations |
|------------------------|---|
| Date of issue | : 23/11/2016 |
| Date of previous issue | : No previous validation |
| Version | : 1 |
| Prepared by | : Reckitt Benckiser LLC. Product Safety Department 1 Philips Parkway Montvale, New Jersey 07646-1810 USA. FAX: 201-476-7770 |

16. Other information

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.