# SAFETY DATA SHEET



Airborne Effervescent Tablet Orange

### 1. Product and company identification

Product name : Airborne Effervescent Tablet Orange

**Distributed by** : Reckitt Benckiser LLC.

**Product Safety Department** 

1 Philips Parkway

Montvale, New Jersey 07646-1810 USA.

FAX: 201-476-7770

Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9

**CANADA** 

Telephone: +1 905 283 7000

Emergency telephone number (Medical)

: 1-800-338-6167

Emergency telephone number (Transport)

: 1-800-424-9300 (U.S. & Canada) CHEMTREC

Outside U.S. and Canada (North America), call Chemtrec:703-527-3887

Website: : http://www.rbnainfo.com

Product use : Vitamins.

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

**SDS** # : D8173697 v2.0 **Formulation** #: : 8161223 v8.0

### 2. Hazards identification

Classification of the : SKIN IRRITATION - Category 2 substance or mixture : SKIN IRRITATION - Category 2A

**GHS label elements** 

Hazard pictograms



Code # : 8161223 (D8173697) SDS # : D8173697 v2.0 Date of issue : 24/08/2017 1/13

### 2. Hazards identification

Signal word : Warning

**Hazard statements** : Causes serious eye irritation.

Causes skin irritation.

**Precautionary statements** 

General : Keep out of reach of children. If medical advice is needed, have product container or

label at hand.

Prevention : Wear protective gloves. Wear eye or face protection. Wash hands thoroughly after

handling.

Response : IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and

wash it before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage: Not applicable.Disposal: Not applicable.Supplemental label: None known.

elements

Hazards not otherwise

classified

: None known.

# 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	CAS number
sodium hydrogencarbonate	15 - 30	144-55-8
Citric acid	15 - 30	77-92-9
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	1 - 2.5	25322-68-3
silicon dioxide	0.1 - 1.0	7631-86-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### 4. First aid measures

### **Description of necessary first aid measures**

**Eye contact**: In case of contact with eyes, rinse immediately with plenty of water. If irritation persists,

get medical attention.

**Inhalation** : In the event of any complaints or symptoms, avoid further exposure. Maintain an open

airway. Get medical attention if adverse health effects persist or are severe.

**Skin contact**: In the event of any complaints or symptoms, avoid further exposure. Rinse skin with

water. Get medical attention if symptoms occur.

**Ingestion**: Wash out mouth with water. Get medical attention if adverse health effects persist or

are severe. Do not induce vomiting. If affected person is conscious, give plenty of water

to drink.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation**: No known significant effects or critical hazards.

**Skin contact** : Causes skin irritation.

Code # : 8161223 (D8173697) SDS # : D8173697 v2.0 Date of issue : 24/08/2017 2/13

### 4. First aid measures

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

**Eye contact**: Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

**Protection of first-aiders**: No action shall be taken involving any personal risk or without suitable training. It may

be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### See toxicological information (Section 11)

### 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

Specific hazards arising

from the chemical

Hazardous thermal decomposition products

: No specific fire or explosion hazard.

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Code # : 8161223 (D8173697) SDS # : D8173697 v2.0 Date of issue : 24/08/2017 3/13

### 6. Accidental release measures

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

#### **Environmental precautions**

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

### **Small spill**

: Stop leak if without risk. Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container.

### Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See section 13 for waste disposal information.

### 7. Handling and storage

### Precautions for safe handling

#### **Protective measures**

: Put on appropriate personal protective equipment (see Section 8). Avoid contact with eyes, skin and clothing. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# including any incompatibilities

Conditions for safe storage, : Do not store above the following temperature: 30°C (86°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### 8. Exposure controls/personal protection

### Control

### Occupational exposure limits

### Ingredient name

silicon dioxide

Poly(oxy-1.2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy- Ethane-1,2-diol, ethoxylated

magnesium oxide

#### **Exposure limits**

NIOSH REL (United States, 10/2013).

TWA: 6 mg/m<sup>3</sup> 10 hours.

AIHA WEEL (United States, 10/2011).

TWA: 10 mg/m3 8 hours. Form: Aerosol

ACGIH TLV (United States, 4/2014).

TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Inhalable

fraction

OSHA PEL 1989 (United States, 3/1989).

TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Total

4/13 Code # : 8161223 (D8173697) **SDS** # : D8173697 v2.0 **Date of issue** : 24/08/2017

# 8. Exposure controls/personal protection

particulates OSHA PEL (United States, 2/2013). TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total particulates

**Appropriate engineering** controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

**Eye/face protection** 

**Skin protection** 

: If operating conditions cause high dust concentrations to be produced, use dust goggles.

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

: None required. However, use of adequate ventilation is good industrial practice.

# 9. Physical and chemical properties

**Appearance** 

**Physical state** : Solid. [Tablet.] Color : Yellow. [Light]

Odor Orange.

**Odor threshold**  Not available. Hq Not available. **Melting point** : Not available. **Boiling point** : Not available. Not available. Flash point : Not available. **Evaporation rate** Flammability (solid, gas) : Not available.

Lower and upper explosive

(flammable) limits

: Not available.

Vapor pressure : Not available. Vapor density Not available. **Relative density** : Not available. Solubility Not available.

5/13 Code # : 8161223 (D8173697) SDS# : D8173697 v2.0 **Date of issue** : 24/08/2017

# 9. Physical and chemical properties

Partition coefficient: n-

octanol/water

: Not available.

**Auto-ignition temperature Decomposition temperature**: Not available.

: Not available.

**Viscosity** Flow time (ISO 2431)

: Not available. : Not available.

# 10. Stability and reactivity

Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** 

: The product is stable.

**Possibility of hazardous** 

: Under normal conditions of storage and use, hazardous reactions will not occur.

reactions **Conditions to avoid** 

: No specific data.

**Incompatible materials** 

: Do not use with other products.

**Hazardous decomposition** products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

# 11. Toxicological information

### Information on toxicological effects

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
sodium hydrogencarbonate	LD50 Oral	Rat	4220 mg/kg	-
Citric acid	LD50 Oral	Rat	3 g/kg	-
Poly(oxy-1,2-ethanediyl),α-	LD50 Oral	Rat	5000 mg/kg	-
hydro-ω-hydroxy- Ethane-1,2-				
diol, ethoxylated				

**Conclusion/Summary** 

: Based on available data, the classification criteria are not met.

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
sodium hydrogencarbonate	Eyes - Mild irritant	Rabbit	-	0.5 minutes 100 milligrams	-
	Skin - Mild irritant	Human	-	72 hours 30 milligrams Intermittent	-
Citric acid	Eyes - Severe irritant	Rabbit	-	24 hours 750 Micrograms	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Moderate irritant	Rabbit	-	0.5 Mililiters	_
silicon dioxide	Eyes - Mild irritant	Rabbit	-	24 hours 25 milligrams	-
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
•	Eyes - Mild irritant	Rabbit	-	500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Code # : 8161223 (D8173697) SDS # : D8173697 v2.0 Date of issue : 24/08/2017 6/13

# 11. Toxicological information

S	Rabbit	-	500	-
			milligrams	

**Conclusion/Summary** 

Skin
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Respiratory
 Based on available data, the classification criteria are not met.

**Sensitization** 

Not available.

**Conclusion/Summary** 

Skin : Based on available data, the classification criteria are not met.Respiratory : Based on available data, the classification criteria are not met.

Mutagenicity
Not available.

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

Carcinogenicity

Not available.

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

**Classification** 

Product/ingredient name	OSHA	IARC	NTP
silicon dioxide	-	3	-

### Reproductive toxicity

Not available.

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

Teratogenicity
Not available.

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on the likely routes of exposure

: Not available.

Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact** : Causes skin irritation.

**Ingestion**: No known significant effects or critical hazards.

Code # : 8161223 (D8173697) SDS # : D8173697 v2.0 Date of issue : 24/08/2017 7/13

# 11. Toxicological information

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

pain or irritation watering

redness

Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Route	ATE value
Oral	7439 mg/kg

Code # : 8161223 (D8173697) SDS # : D8173697 v2.0 Date of issue : 24/08/2017 8/13

# 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
sodium hydrogencarbonate	Acute EC50 650000 μg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute LC50 1415.51 mg/l Marine water	Crustaceans - Americamysis bahia	48 hours
	Acute LC50 7550000 µg/l Fresh water	Fish - Gambusia affinis - Adult	96 hours
	Chronic NOEC 912.45 mg/l Marine water	Crustaceans - Americamysis bahia	48 hours
	Chronic NOEC 576 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	3 weeks
Citric acid	Acute LC50 160000 μg/l Marine water	Crustaceans - Carcinus maenas - Adult	48 hours
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	Acute LC50 >1000000 μg/l Fresh water	Fish - Salmo salar - Parr	96 hours

### Persistence and degradability

Not available.

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Citric acid Poly(oxy-1,2-ethanediyl),α- hydro-ω-hydroxy- Ethane-1,2- diol, ethoxylated	-1.8 -	3.2	low low

#### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

### 13. Disposal considerations

#### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Code # : 8161223 (D8173697) SDS # : D8173697 v2.0 Date of issue : 24/08/2017 9/13

### 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not Regulated	Not applicable.	Not available.	-		-
TDG Classification	Not Regulated	Not applicable.	Not available.	-		-
Mexico Classification	Not Regulated	Not applicable.	Not available.	-		-
IMDG Class	Not Regulated	Not applicable.	Not available.	-		-
IATA-DGR Class	Not Regulated	Not applicable.	Not available.	-		-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the

PG\*: Packing group

# 15. Regulatory information

U.S. Federal regulations

: TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Water Act (CWA) 307: Sulfuric acid, zinc salt (1:1), monohydrate; sodium selenite Clean Water Act (CWA) 311: Sulfuric acid, zinc salt (1:1), monohydrate; sodium selenite

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**  : Listed

Clean Air Act Section 602

: Not listed

Class I Substances Clean Air Act Section 602

: Not listed

**Class II Substances** 

**DEA List I Chemicals** (Precursor Chemicals) : Not listed

**DEA List II Chemicals** (Essential Chemicals) : Not listed

**SARA 302/304** 

Code # : 8161223 (D8173697) SDS # : D8173697 v2.0 **Date of issue** : 24/08/2017 10/13

# 15. Regulatory information

### **Composition/information on ingredients**

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
sodium selenite	< 0.1	Yes.	100 / 10000	-	100	-

**SARA 304 RQ** : 493961.3 lbs / 224258.4 kg

**SARA 311/312** 

Classification : Immediate (acute) health hazard

**Composition/information on ingredients** 

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
sodium hydrogencarbonate Citric acid silicon dioxide Poly(oxy-1,2-ethanediyl),α-hydro-ω- hydroxy- Ethane-1,2-diol, ethoxylated	15 - 30 15 - 30 0.1 - 1.0 1 - 2.5	No. No. No. No.	No. No. No. No.	No. No. No. No.	Yes. Yes. Yes. Yes.	No. No. No. No.

State regulations

Massachusetts : The following components are listed: AMORPHOUS SILICA; MAGNESIUM OXIDE

FUME; SUCROSE DUST

**New York**: None of the components are listed.

New Jersey : The following components are listed: MAGNESIUM OXIDE

Pennsylvania : The following components are listed: SILICA; MAGNESIUM OXIDE (MGO); .ALPHA.-D-

GLUCOPYRANOSIDE, .BETA.-D-FRUCTOFURANOSYL

Canada

WHMIS (Canada) : Class D-2A: Material causing other toxic effects (Very toxic).

Class E: Corrosive material

**Canadian lists** 

**Canadian NPRI** : The following components are listed: Selenium (and its compounds)

**CEPA Toxic substances** : None of the components are listed.

**Canada inventory** : All components are listed or exempted.

<u>Label elements</u>

Signal word : WARNING!

Hazard statements : CAUSES EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTAINS MATERIAL

THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.


Precautionary measures : Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and

clothing. Wash thoroughly after handling.

Code # : 8161223 (D8173697) SDS # : D8173697 v2.0 Date of issue : 24/08/2017 11/13

### 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations : AT

: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

Date of issue : 24/08/2017

Date of previous issue : 03/05/2015

Version : 2.0

Prepared by : Reckitt Benckiser India Ltd

Plot No 48 Sector - 32 Institutional Area Gurgaon, Haryana India - 122001

Code # : 8161223 (D8173697) SDS # : D8173697 v2.0 Date of issue : 24/08/2017 12/13

### 16. Other information

**Revision comments** 

: Revision as per US GHS

▼ Indicates information that has changed from previously issued version.

#### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.

Code # : 8161223 (D8173697) SDS # : D8173697 v2.0 Date of issue : 24/08/2017 13/13