Conforms to USDOL OSHA 29CFR 1910.1200 HAZCOM

SAFETY DATA SHEET

AIR WICK® Color Changing Candle - Fresh Waters



1. Product and company identification

Product name	: AIR WICK® Color Changing Candle - Fresh Waters
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
	Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com

Product use : Candle

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	1	D0379459 v3.0
Formulation #:	:	#0391056_2

2. Hazards identification			
Classification of the substance or mixture	: Not classified		
GHS label elements			
Hazard pictograms	: Not applicable.		
Signal word	: No signal word.		
Hazard statements	: No known significant effects or critical hazards.		
Precautionary statements			
Code # : FF0391056 (D0379459) NA	SDS # : D0379459 v3.0 Date of issue : 17/05/2017 1/11		

2. Hazards identification

General	 Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

3. Composition/information on ingredients

Substance/mixture : Mixture		
Ingredient name	%	CAS number
isopropyl myristate	1 - 2.5	110-27-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures

Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effect	<u>ets</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>itoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Code #	1	FF0391056
		(D0379459) NA

4. First aid measures

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

5. Fire-fighting measures			
Extinguishing media			
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.		
Unsuitable extinguishing media	: None known.		
Specific hazards arising from the chemical	: No specific fire or explosion hazard.		
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide		
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.		
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.		

6. Accidental release measures

Personal precautions, protec	<u>e equipr</u>	<u>ent and emergency proc</u>	<u>edures</u> :		
For non-emergency personnel	Evacuate entering	n shall be taken involving a e surrounding areas. Keep . Do not touch or walk thro e equipment.	p unnecessary and	unprotected personr	nel from
For emergency responders	Section	lized clothing is required to 8 on suitable and unsuitable ncy personnel".			
Environmental precautions	and sew	spersal of spilled material a ers. Inform the relevant au (sewers, waterways, soil o	uthorities if the proc		
Methods and materials for co	ainment	and cleaning up			
Small spill		ntainers from spill area. V ted, labeled waste containe or.			
Large spill	or confin waste co	ntainers from spill area. P led areas. Vacuum or swe ontainer. Dispose of via a 1 for emergency contact in	eep up material and licensed waste disp	l place in a designate oosal contractor. Not	ed, labeled e: see
Code # : FF0391056	SDS	# : D0379459 v3.0	Date of issue	: 17/05/2017	3/11

7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Recommended Storage Temperature for up to 6 weeks	:	5 to 25 °C
Recommended Storage Temperature for over 6 weeks	:	5 to 25 °C

8. Exposure controls/personal protection

Control		
Occupational exposure lin	<u>mits</u>	
Not applicable.		
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	ures	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

8. Exposure controls/personal protection

```
Respiratory protection
```

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid. [Waxy solid.]
Color	: White.
Odor	: Characteristic.
Odor threshold	Not available.
pH	: Not available.
Melting point	: 50°C (122°F)
Boiling point	: Not available.
Flash point	: Closed cup: >140°C (>284°F)
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: Not available.
Solubility	: Not available.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Flow time (ISO 2431)	: Not available.

10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
isopropyl myristate	LD50 Dermal	Rabbit	5 g/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
isopropyl myristate	Skin - Moderate irritant	Guinea pig	-	24 hours 100 milligrams	-
	Skin - Mild irritant	Human	-	72 hours 85 milligrams Intermittent	-
	Skin - Mild irritant	Rat	-	24 hours 100 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 426 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 100 milligrams	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

Potential acute health effects		
Eye contact	1	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Code #	: FF0391056	SDS #	: D0379459 v3.0	Date of issue	: 17/05/2017	6/11
	(D0379459) NA					

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	<u>ects</u>
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Dermal	121696.9 mg/kg

12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
isopropyl myristate	7.71	-	high

Code # : FF0391056 (D0379459) NA SDS #

12. Ecological information

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and
	sewers.

14. Transport information

Not a DOT controlled material (United States). Not a TDG-controlled material. This preparation is not classified as dangerous according to international transport regulations (ADR/RID, IMDG or ICAO/IATA).

15. Regulatory information

U.S. Federal regulations	SCA 8(a) PAIR: 3-p-cumenyl-2-methylpropionaldehyde hydroxycitronellal; 4-(4-hydroxy-4-methylpentyl)cyclohe nnamaldehyde	
	SCA 8(a) CDR Exempt/Partial exemption: Not determ	nined
	nited States inventory (TSCA 8b): All components are	e listed or exempted.
	ean Water Act (CWA) 307: toluene	
	ean Water Act (CWA) 311: toluene	
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	sted	
Clean Air Act Section 602 Class I Substances	ot listed	
Clean Air Act Section 602 Class II Substances	ot listed	
DEA List I Chemicals (Precursor Chemicals)	ot listed	
DEA List II Chemicals (Essential Chemicals)	ot listed	
SARA 302/304		
Composition/information	<u>redients</u>	
No products were found.		
Code # : FF0391056 (D0379459) NA	SDS # : D0379459 v3.0 Date of issue :	17/05/2017 8/11

15. Regulatory information

SARA 304 RQ

: Not applicable.

SARA 311/312 Classification

: Not applicable.

Composition/information on ingredients

Name	%	hazard	Sudden release of pressure		(acute) health	Delayed (chronic) health hazard
isopropyl myristate	1 - 2.5	No.	No.	No.	Yes.	No.


State regulations

otate regulations	
Massachusetts	: The following components are listed: PARAFFIN WAX FUME
New York	: None of the components are listed.
New Jersey	 The following components are listed: PARAFFIN WAX; PARAFFIN WAXES and HYDROCARBON WAXES
Pennsylvania	: The following components are listed: PARAFFIN WAXES AND HYDROCARBON WAXES
<u>Canada</u>	
WHMIS (Canada)	: Class D-2B: Material causing other toxic effects (Toxic).
<u>Canadian lists</u>	
Canadian NPRI	: None of the components are listed.
CEPA Toxic substances	: None of the components are listed.
Canada inventory	: All components are listed or exempted.
Label elements	
Recommendations	 KEEP FREE FROM FOREIGN OBJECTS (e.g. MATCHES). Do not add essential oils. Keep wick trimmed to 1 cm (1/2"). For safety reasons there will typically be around 2.5cm (1") of wax remaining at end of life. Never allow the candle to burn all the way down WARNING: Do not leave burning candles unattended. KEEP OUT OF REACH OF CHILDREN & PETS WARNING: To prevent fire or injury Never leave a burning candle unattended, near anything that can catch fire or for more than 4 hours. Place upright on a flat heat resistant, non-electrical surface, away from draughts. DO NOT move or tip while lit or before liquid hardens. Glass will be hot during and after use. Extinguish by blowing gently. Always leave at least 20 cm (8") between burning candles. DO NOT reuse. Discard after use. DO NOT reuse batteries. If the Exterior Display Surface is less than 9 cm2: WARNING: Do not leave burning candles unattended.
Codo #	SDS # D0270450 v2 0 Data of isoura + 17/05/2017 0/41

15. Regulatory information

Sticker label (NA, Canada) Burn within sight Keep away from things that catch fire Keep away from children Keep wax pool free from debris. Do not allow flame to touch glass. For safety reasons there will typically be around 2.5cm (1") of wax remaining at end of life. Never allow the candle to burn all the way down. Wick contains no lead.

16. Other information



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient	Key to abbreviations	LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973
--	----------------------	---

16. Other information

	UN = United Nations
Date of issue	: 17/05/2017
Date of previous issue	: 12/03/2015.
Version	: 3
Prepared by	: Reckitt Benckiser LLC. Product Safety Department 1 Philips Parkway Montvale, New Jersey 07646-1810 USA. FAX: 201-476-7770

Revision comments

: Update to add Canada Address.

V Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.