SAFETY DATA SHEET

AIR WICK® CAR Filters & Freshens Air Freshener - Crisp Linen & Sunshine



1. Product and company identification

| Product name | : AIR WICK® CAR Filters & Freshens Air Freshener - Crisp Linen & Sunshine |
|---|--|
| Distributed by | : Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600 |
| | Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000 |
| Emergency telephone number (Medical) | : 1-800-338-6167 |
| Emergency telephone number (Transport) | : 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887 |
| Website: | : http://www.rbnainfo.com |
| | |

Product use : Air care, continuous action (solid and liquid)

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

| SDS # | : D8053108 v4.0 |
|----------------|-----------------|
| Formulation #: | : #8048276_2 |

2. Hazards identification Classification of the substance or mixture : FLAMMABLE LIQUIDS - Category 4 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 GHS label elements

2. Hazards identification

| Hazard pictograms | |
|-------------------------------------|--|
| Signal word | : Warning |
| Hazard statements | : Combustible liquid. Causes serious eye irritation. May cause an allergic skin reaction. |
| Precautionary statements | |
| General | Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. |
| Prevention | : Wear protective gloves. Wear eye or face protection. Keep away from flames and hot surfaces No smoking. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. |
| Response | : IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |
| Storage | : Store in a well-ventilated place. Keep cool. |
| Disposal | : Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Supplemental label elements | : None known. |
| Hazards not otherwise classified | : None known. |

3. Composition/information on ingredients

Substance/mixture

: Mixture

| Ingredient name | % | CAS number |
|---|---------|------------|
| Distillates (petroleum), hydrotreated light | 5 - 10 | 64742-47-8 |
| Tricyclodecenyl propionate | 5 - 10 | 17511-60-3 |
| Linalool | 2.5 - 5 | 78-70-6 |
| Tricyclodecenyl acetate | 2.5 - 5 | 5413-60-5 |
| 2-tert-Butylcyclohexyl acetate | 1 - 2.5 | 88-41-5 |
| Dihydromyrcenol | 1 - 2.5 | 18479-58-8 |
| 1,1-Dimethyl-2-phenylethyl acetate | 1 - 2.5 | 151-05-3 |
| Citral | 0.1 - 1 | 5392-40-5 |
| d-Limonene | 0.1 - 1 | 5989-27-5 |
| alpha-iso-Methylionone | 0.1 - 1 | 127-51-5 |
| 2-Methyl-3-(p-isopropylphenyl)propionaldehyde | 0.1 - 1 | 103-95-7 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SDS #

4. First aid measures

Description of necessary first aid measures

| Eye contact | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
|--------------|---|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

| Potential acute health effe | | |
|-----------------------------|---|---------|
| Eye contact | Causes serious eye irritation. | |
| Inhalation | No known significant effects or critical hazards. | |
| Skin contact | May cause an allergic skin reaction. | |
| Ingestion | No known significant effects or critical hazards. | |
| Over-exposure signs/sym | <u>IS</u> | |
| Eye contact | Adverse symptoms may include the following: pain or irritation watering redness | |
| Inhalation | No specific data. | |
| Skin contact | Adverse symptoms may include the following: irritation redness | |
| Ingestion | No specific data. | |
| Indication of immediate me | l attention and special treatment needed, if necessary | |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if quantities have been ingested or inhaled. | f large |
| Specific treatments | No specific treatment. | |
| Protection of first aidors | No action shall be taken involving any personal risk or without suitable tra | inina |

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. It may
be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash
contaminated clothing thoroughly with water before removing it, or wear gloves.

4. First aid measures

See toxicological information (Section 11)

| 5. Fire-fighting measures | |
|---|--|
| Extinguishing media | |
| Suitable extinguishing media | : Use dry chemical, CO ₂ , water spray (fog) or foam. |
| Unsuitable extinguishing media | : Do not use water jet. |
| Specific hazards arising from the chemical | : Combustible liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

6. Accidental release measures

| Personal precautions, protect | tiv | e equipment and emergency procedures |
|--------------------------------|-----|---|
| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for co | nt | ainment and cleaning up |

Small spill: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and
explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively,
or if water-insoluble, absorb with an inert dry material and place in an appropriate waste
disposal container. Dispose of via a licensed waste disposal contractor.

6. Accidental release measures

Large spill

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|---------------------|--|
| | |

Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

<u>Control</u>

Occupational exposure limits

| Ingredient name | Exposure limits | |
|---|---|--|
| Distillates (petroleum), hydrotreated light | ACGIH TLV (United States, 4/2014). Absorbed through skin. TWA: 200 mg/m³, (as total hydrocarbon vapor) 8 hours. | |
| Citral | ACGIH TLV (United States, 4/2014). Absorbed through skin. Skin sensitizer. TWA: 5 ppm 8 hours. Form: Inhalable fraction and vapor | |
| controls other engineering c recommended or st | se only with adequate ventilation. Use process enclosures, local exhaust ventilation or her engineering controls to keep worker exposure to airborne contaminants below any commended or statutory limits. The engineering controls also need to keep gas, apor or dust concentrations below any lower explosive limits. Use explosion-proof | |

ventilation equipment.

| D8053108 | v4.0 |
|------------------|------|
| D 0000100 | |

8. Exposure controls/personal protection

| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
|------------------------------------|--|
| Individual protection meas | ures |
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

9. Physical and chemical properties

| <u>Appearance</u> | |
|--|--|
| Physical state | : Liquid. [Oily liquid.] |
| Color | : Blue. |
| Odor | : Characteristic. |
| Odor threshold | : Not available. |
| рН | : Not available. |
| Melting point | : Not available. |
| Boiling point | : Not available. |
| Flash point | : Closed cup: 74°C (165.2°F) |
| Evaporation rate | : Not available. |
| Flammability (solid, gas) | : Not available. |
| Lower and upper explosive (flammable) limits | : Not available. |
| Vapor pressure | : Not available. |
| Code # : FF8048276 (D8053108) NA | SDS # : D8053108 v4.0 Date of issue : 17/05/2017 6/14 |

9. Physical and chemical properties

| Vapor density | : | Not available. |
|--|---|----------------|
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Partition coefficient: n- octanol/water | : | Not available. |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| Viscosity | : | Not available. |
| Flow time (ISO 2431) | : | Not available. |

10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|---------------------------------------|---|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. |
| Incompatible materials | Reactive or incompatible with the following materials: oxidizing materials |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|--------------------------------|-------------|---------|-------------|----------|
| Tricyclodecenyl propionate | LD50 Dermal | Rabbit | >5 g/kg | - |
| | LD50 Oral | Rat | >5 g/kg | - |
| Linalool | LD50 Dermal | Rabbit | 5610 mg/kg | - |
| | LD50 Dermal | Rat | 5610 mg/kg | - |
| | LD50 Oral | Rat | 2790 mg/kg | - |
| Tricyclodecenyl acetate | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 4300 mg/kg | - |
| 2-tert-Butylcyclohexyl acetate | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| · | LD50 Oral | Rat | 4600 mg/kg | - |
| Dihydromyrcenol | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 3600 mg/kg | - |
| 1,1-Dimethyl-2-phenylethyl | LD50 Oral | Rat | 3300 mg/kg | - |
| acetate | | | | |
| Citral | LD50 Dermal | Rabbit | 2250 mg/kg | - |
| | LD50 Oral | Rat | 3.45 g/kg | - |
| d-Limonene | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 4400 mg/kg | - |
| alpha-iso-Methylionone | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | >5000 mg/kg | - |
| 2-Methyl-3-(p- | LD50 Dermal | Rat | >5 g/kg | - |
| isopropylphenyl) | | | | |
| propionaldehyde | | | | |
| | LD50 Oral | Rat | 3810 mg/kg | - |

11. Toxicological information

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-----------------------------------|--------------------------|------------|-------|----------------------------|-------------|
| Tricyclodecenyl propionate | Skin - Moderate irritant | Rabbit | - | 24 hours 500 milligrams | - |
| Linalool | Eyes - Moderate irritant | Rabbit | - | 1 hours 0.1 Mililiters | - |
| | Eyes - Moderate irritant | Rabbit | - | 100 microliters | - |
| | Skin - Moderate irritant | Guinea pig | - | 24 hours 100 | - |
| | Skin - Mild irritant | Human | - | milligrams 72 hours 32 | - |
| | Skin - Mild irritant | Man | - | Percent 48 hours 16 | - |
| | Skin - Mild irritant | Rabbit | - | milligrams 24 hours 500 | - |
| | Skin - Severe irritant | Rabbit | - | milligrams 24 hours 100 | - |
| Tricyclodecenyl acetate | Eyes - Moderate irritant | Rabbit | - | milligrams 6.25 Percent | - |
| , , | Skin - Mild irritant | Rabbit | - | 100 Percent | - |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 500 milligrams | - |
| | Skin - Mild irritant | Rabbit | - | 4 hours 100 Percent | - |
| 2-tert-Butylcyclohexyl acetate | Eyes - Severe irritant | Rabbit | | 50 Percent | |
| | Skin - Moderate irritant | Rabbit | - | 4 hours 100 | - |
| Dihydromyrcenol | Skin - Mild irritant | Rabbit | - | Percent 24 hours 500 | - |
| | Even Milel inside st | Dabbit | | milligrams | |
| | Eyes - Mild irritant | Rabbit | - | 7.5 Percent | - |
| | Skin - Mild irritant | Rabbit | - | 4 hours 0.5 | - |
| 1,1-Dimethyl-2-phenylethyl | Skin - Moderate irritant | Rabbit | - | Mililiters 24 hours 500 | - |
| acetate Citral | Skin - Moderate irritant | Guinea pig | - | milligrams 48 hours 1 | - |
| | Skin - Severe irritant | Guinea pig | - | Percent 24 hours 100 | - |
| | Skin - Mild irritant | Human | - | milligrams 24 hours 40 | - |
| | Skin - Severe irritant | Man | - | milligrams 48 hours 16 | - |
| | Skin - Severe irritant | Pig | - | milligrams 48 hours 50 | - |
| | Skin - Moderate irritant | Rabbit | _ | milligrams 24 hours 500 | _ |
| | Skin - Severe irritant | Rabbit | | milligrams 24 hours 100 | |
| | | | - | milligrams | - |
| d-Limonene | Skin - Mild irritant | Rabbit | - | 24 hours 10 Percent | - |
| 2-Methyl-3-(p- sopropylphenyl) | Eyes - Mild irritant | Rabbit | - | 100 milligrams | - |
| propionaldehyde | Skin - Mild irritant | Human | - | 48 hours 15 milligrams | - |

11. Toxicological information

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| d-Limonene | - | 3 | - |

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

| Name | Result |
|------|--|
| | ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1 |

| Information on the likely | : Not available. |
|---------------------------|------------------|
| | |

routes of exposure Potential acute health effects

| Folential acule health | enects |
|------------------------|---|
| Eye contact | : Causes serious eye irritation. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : May cause an allergic skin reaction. |
| Ingestion | : No known significant effects or critical hazards. |

Symptoms related to the physical, chemical and toxicological characteristics

| Eye contact | : Adverse symptoms may include the following: pain or irritation watering redness |
|--------------|--|
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: irritation redness |
| Ingestion | : No specific data. |

9/14

11. Toxicological information

Delayed and immediate effects and also chronic effects from short and long term exposure

| Short term exposure | |
|--------------------------------|---|
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Long term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health eff | f <u>ects</u> |
| Not available. | |
| General | : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Teratogenicity | : No known significant effects or critical hazards. |
| Developmental effects | : No known significant effects or critical hazards. |
| Fertility effects | : No known significant effects or critical hazards. |

Numerical measures of toxicity

| Acute toxicity estimates | |
|--------------------------|---------------|
| Route | ATE value |
| Oral | 22920.4 mg/kg |

12. Ecological information

| Toxicity | | | | |
|--|--|---|----------------------|--|
| Product/ingredient name | Result | Species | Exposure | |
| Distillates (petroleum), hydrotreated light | Acute LC50 2200 µg/l Fresh water | Fish - Lepomis macrochirus | 4 days | |
| Linalool | Acute EC50 36.7 ppm Fresh water Acute LC50 28.8 ppm Fresh water | Daphnia - Daphnia magna Fish - Oncorhynchus mykiss | 48 hours 96 hours | |
| d-Limonene | Acute EC50 421 μg/l Fresh water Acute EC50 688 μg/l Fresh water | Daphnia - Daphnia magna Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) | 48 hours 96 hours | |

Persistence and degradability

| Product/ingredient name | Test | Result | Dose | Inoculum |
|-------------------------|------|----------------------------|------|----------|
| Linalool | - | 62.4 % - Readily - 28 days | - | - |

SDS # : [

D8053108 v4.0 **12. Ecological information** Product/ingredient name Aquatic half-life Photolysis Biodegradability Linalool Readily

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-------|-----------|
| Linalool | 2.84 | - | low |
| Tricyclodecenyl acetate | 0.924 | 35 | low |
| Dihydromyrcenol | 3.25 | - | low |
| Citral | 2.76 | 89.72 | low |
| d-Limonene | 4.38 | - | high |

Mobility in soil

| Soil/water partition | : Not available |
|----------------------|-----------------|
| coefficient (Koc) | |

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

Not a DOT controlled material (United States). Not a TDG-controlled material. This preparation is not classified as dangerous according to international transport regulations (ADR/RID, IMDG or ICAO/IATA).

15. Regulatory information

U.S. Federal regulations : TSCA 8(a) PAIR: oxybenzone; Propanol, 1(or 2)-(2-methoxymethylethoxy)-, acetate; 3-p-cumenyl-2-methylpropionaldehyde; decanal; octanal; dodecanal; anisaldehyde; citronellal

TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 112 : Not listed (b) Hazardous Air Pollutants (HAPs)

| Code # | : FF8048276 | SDS # |
|--------|---------------|-------|
| | (D8053108) NA | |

(

15. Regulatory information

| Clean Air Act Section 602 Class I Substances | : Not listed |
|--|----------------|
| Clean Air Act Section 602 Class II Substances | : Not listed |
| DEA List I Chemicals (Precursor Chemicals) | : Not listed |
| DEA List II Chemicals (Essential Chemicals) | : Not listed |
| SARA 302/304 | |
| Composition/information | on ingredients |

No products were found.

| SARA | 304 | RQ | |
|------|-----|----|--|
|------|-----|----|--|

: Not applicable.

SARA 311/312

Classification

: Fire hazard Immediate (acute) health hazard

Composition/information on ingredients

| Name | % | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|---|---------|----------------|----------------------------------|----------|--|--|
| Tricyclodecenyl propionate | 5 - 10 | No. | No. | No. | Yes. | No. |
| Linalool | 2.5 - 5 | Yes. | No. | No. | Yes. | No. |
| Tricyclodecenyl acetate | 2.5 - 5 | No. | No. | No. | Yes. | No. |
| 2-tert-Butylcyclohexyl acetate | 1 - 2.5 | Yes. | No. | No. | Yes. | No. |
| Dihydromyrcenol | 1 - 2.5 | Yes. | No. | No. | Yes. | No. |
| 1,1-Dimethyl-2-phenylethyl acetate | 1 - 2.5 | No. | No. | No. | Yes. | No. |
| Citral | 0.1 - 1 | No. | No. | No. | Yes. | No. |
| d-Limonene | 0.1 - 1 | Yes. | No. | No. | Yes. | No. |
| alpha-iso-Methylionone | 0.1 - 1 | No. | No. | No. | Yes. | No. |
| 2-Methyl-3-(p-isopropylphenyl) propionaldehyde | 0.1 - 1 | No. | No. | No. | Yes. | No. |

State regulations

| Massachusetts | : None of the components are listed. |
|-----------------------|---|
| New York | : None of the components are listed. |
| New Jersey | : None of the components are listed. |
| Pennsylvania | : None of the components are listed. |
| <u>Canada</u> | |
| WHMIS (Canada) | : Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F). |
| | Class D-2B: Material causing other toxic effects (Toxic). |
| <u>Canadian lists</u> | |
| Canadian NPRI | : The following components are listed: Hydrotreated light distillate |
| CEPA Toxic substances | : None of the components are listed. |
| Canada inventory | : All components are listed or exempted. |
| | |

| Code # | : FF8048276 | SDS # | : D8053108 v4.0 | Date of issue | : 17/05/2017 | 12/14 |
|--------|---------------|-------|-----------------|---------------|--------------|-------|
| | (D8053108) NA | | | | | |

15. Regulatory information

| Label elements | |
|------------------------|---|
| Signal word | : No signal word. |
| Hazard statements | : MAY IRRITATE EYES |
| | Prolonged or frequent skin contact may cause an allergic reaction. |
| Precautionary measures | : KEEP OUT OF REACH OF CHILDREN & PETS This product is not a toy. Intended for adult use only. NOTICE: PRODUCT CONTAINS PARTS THAT MAY POSE A CHOKING HAZARD TO CHILDREN UNDER 3 YEARS OF AGE. |
| Recommendations | Do not get in eyes, on skin, or on clothing. People suffering from perfume sensitivity should be cautious when using this product. Air Fresheners do not replace good hygiene practices. |

16. Other information



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

SDS #

16. Other information

| : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations |
|---|
| : 17/05/2017 |
| : 03/02/2015. |
| : 4 |
| : Reckitt Benckiser LLC. Product Safety Department 1 Philips Parkway Montvale, New Jersey 07646-1810 USA. FAX: 201-476-7770 |
| |

Revision comments : Update to include Canada address on section 1.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.