SAFETY DATA SHEET

LYSOL® Power Plus Pro-Shield - Lavender Fields (Canada)



1/14

1. Product and company identification

Product name	: LYSOL® Power Plus Pro-Shield - Lavender Fields (Canada)
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
	Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com
Product use	: Toilet bowl cleaner Consumer use

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	: D8332704 v6.0
Formulation #	: FF8318449 v1.0/e0166-013
EPA ID No.	: 777-132
DIN #	: 02486326

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Consumer use	

2. Hazards identification

Classification of the substance or mixture	: CORROSIVE TO METALS - Category 1 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION - Category 1 SERIOUS EYE DAMAGE - Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: May be corrosive to metals. Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage.
Precautionary statements	
General	 Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Keep only in original container. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Response	: Absorb spillage to prevent material damage. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
Storage	: Store locked up. Store in a corrosion resistant container with a resistant inner liner.
Disposal	 Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: Not applicable
Hazards not otherwise classified	: None known.

3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	%	CAS number
hydrochloric acid Amines, tallow alkyl, ethoxylated Alcohols, C12-16, ethoxylated		7647-01-0 61791-26-2 68551-12-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Code #	: FF8318449	SDS #	: D8332704 v6.0	Date of issue	: 04/22/2020	2/14
	(D8332704) NA					

4. First aid measures

Description of necess	sary first aid measures
Eye contact	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice
Inhalation	: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice
Skin contact	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.
Ingestion	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.

Most important symptoms/eff	ects, acute and delayed		
Potential acute health effects	<u>s</u>		
Eye contact	: Causes serious eye damage.		
Inhalation	: Harmful if inhaled.		
Skin contact	: Causes severe burns.		
Ingestion	: Harmful if swallowed.		
Over-exposure signs/symptoms			
Eye contact	: Adverse symptoms may include the following: pain watering redness		
Inhalation	: No specific data.		
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur		
Ingestion	: Adverse symptoms may include the following: stomach pains		
Indication of immediate medio	cal attention and special treatment needed, if necessary		

Notes to physician Specific treatments	Probable mucosal damage may contraindicate the use of gastric lavage.No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

SDS # : D8

5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire, hazardous decomposition products may be produced.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: halogenated compounds
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protect	tive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ontainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Absorb spillage to prevent material damage. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

4/14

7. Handling and storage

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a corrosion resistant container with a resistant inner liner. Store locked up. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

8. Exposure controls/personal protection

<u>Control</u>

Occupational exposure lin	<u>nits</u>
Ingredient name	Exposure limits
hydrochloric acid	ACGIH TLV (United States, 3/2018). C: 2 ppm OSHA PEL 1989 (United States, 3/1989). CEIL: 5 ppm CEIL: 7 mg/m ³ NIOSH REL (United States, 10/2016). CEIL: 5 ppm CEIL: 7 mg/m ³ OSHA PEL (United States, 5/2018). CEIL: 5 ppm CEIL: 7 mg/m ³
Appropriate engineering controls	: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measured	<u>ires</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Skin protection	
Code # : FF8318449 (D8332704) NA	SDS # : D8332704 v6.0 Date of issue : 04/22/2020 5/14

8. Exposure controls/personal protection

Hand protection	: Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid
Color	: Dark Purple [Dark]
Odor	: Lavender
Odor threshold	: Not available.
рН	: 1.5 to 1.9 [Conc. (% w/w): 1%] [20°C]
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Open cup: >200°C (>392°F)
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.02 to 1.05
Solubility	: Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.

SDS # : D8332704 v6.0 Date of

10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: metals
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
hydrochloric acid	LC50 Inhalation Gas.	Rabbit	4695 mg/l	30 minutes	
	LD50 Dermal	Rat	5050 mg/kg	-	
	LD50 Oral	Rat	700 mg/kg	-	
Amines, tallow alkyl, ethoxylated	LD50 Dermal	Rat	>10 g/kg	-	
,	LD50 Oral	Rat	500 mg/kg	-	
Lysol Active Sheild_Taj Mahal_FF8318449_D8332704 (US)_	LC50 Inhalation Vapor	Rat - Male, Female	>2.13 mg/l	4 hours	
	LD50 Dermal	Rat - Female	>5000 mg/kg	-	
	LD50 Oral	Rat - Female	1750 mg/kg	-	

Harmful if inhaled.

Information is based on toxicity test result of the product.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
hydrochloric acid	Eyes - Mild irritant	Rabbit	-	0.5 minutes 5 milligrams	-
	Skin - Mild irritant	Human	-	24 hours 4 Percent	-
Amines, tallow alkyl, ethoxylated	Eyes - Moderate irritant	Rabbit	-	100 milligrams	-
·	Eyes - Severe irritant	Rabbit	-	24 hours 100 microliters	-
Alcohols, C12-16, ethoxylated	Eyes - Moderate irritant	Rabbit	-	24 hours 100 microliters	-
Lysol Active Sheild_Taj Mahal_FF8318449_D8332704 (US)_	Skin - Edema	Rabbit	4.08	-	21 days
	Skin - Edema	Rabbit	82.2	-	21 days
Conclusion/Summary			·	·	·
Skin	: Information is based on t	oxicity test resu	ult of the prod	uct. Corrosive to th	ne skin.

: Information is based on toxicity test result of the product. Causes serious eye damage.

Respiratory

: Based on available data, the classification criteria are not met.

Sensitization

Eyes

Code # : FF8318449

(D8332704) NA

SDS #

11. Toxicological information

Conclusion/Summary					
Skin	: Based on available data, the classification criteria are not met.				
Respiratory	: Based on available data, the classification criteria are not met.				
Mutagenicity Not available.					
Conclusion/Summary	: Based or	n available	data, the classification criteria are not met.		
Carcinogenicity Not available.					
Conclusion/Summary	: Based or	n available	data, the classification criteria are not met.		
<u>Classification</u>					
Product/ingredient name	OSHA	IARC	NTP		
hydrochloric acid	-	3	-		
Reproductive toxicity Not available.			·		
Conclusion/Summary Teratogenicity Not available.	: Based or	n available	data, the classification criteria are not met.		
Conclusion/Summary	: Based on available data, the classification criteria are not met.				

Specific target organ toxicity (single exposure)

Name	•••	Route of exposure	Target organs
hydrochloric acid	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available.

routes of exposure Potential acute health of

Potential acute health effects		
Eye contact	:	Causes serious eye damage.
Inhalation	÷	Harmful if inhaled.
Skin contact	÷	Causes severe burns.
Ingestion	÷	Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

11. Toxicological information

Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains

Delayed and immediate effec	<u>ts</u>	and also chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects	1	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	1	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ect	<u>S</u>
Not available.		
Conclusion/Summary	:	Based on available data, the classification criteria are not met.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
Lysol Active Sheild_Taj Mahal FF8318449 D8332704 (US)	1750	N/A	N/A	11	N/A
hydrochloric acid	700	5050	N/A	N/A	N/A
Amines, tallow alkyl, ethoxylated	500	N/A	N/A	N/A	N/A
Alcohols, C12-16, ethoxylated	500	N/A	N/A	N/A	N/A

Code # : FF8318449 (D8332704) NA

: D8332704 v6.0 SDS #

12. Ecological information

Toxicity

r Crustaceans - Carcinus maenas - Adult	48 hours
/ wait	
Fish - Gambusia affinis - Adult	96 hours
Crustaceans - Thamnocephalus platyurus - Nauplii	48 hours
Daphnia - Daphnia pulex	48 hours
Fish - Oncorhynchus mykiss	96 hours
- :4	

Persistence and degradability

Conclusion/Summary	: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
	request of a detergent manufacturer.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
hydrochloric acid	0.25	-	low

Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects

: No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

	TDG Classification	DOT Classification	IMDG	IATA
UN number	UN1760	UN1760	UN1760	UN1760
UN proper shipping name	Corrosive liquid, n.o.s. (Hydrochloric acid, amines, tallow alkyl, ethoxylated)	Corrosive liquid, n.o.s. (Hydrochloric acid, amines, tallow alkyl, ethoxylated)	Corrosive liquid, n.o.s. (Hydrochloric acid, amines, tallow alkyl, ethoxylated)	Corrosive liquid, n.o.s. (Hydrochloric acid, amines, tallow alkyl, ethoxylated)
Transport hazard class(es)	8	8	8	8
Packing group	II	11	11	II
Environmental hazards	No.	No.	No.	No.
Additional inform DOT Classificati TDG Classificati IMDG IATA Special precaution	ion : Limited Q ion : Limited Q : Limited Q : <u>See DG L</u> ns for user : Transpor upright ar	uantity uantity <u>ist</u> t within user's premises	s: always transport in clos rsons transporting the pro	ed containers that are duct know what to do in th

Transport in bulk according	1	Not available.
to Annex II of MARPOL and		
the IBC Code		

15. Regulatory information

U.S. Federal regulations : Clean Water Act (CWA) 311: Hydrochloric acid

Clean Air Act (CAA) 112 regulated toxic substances: Hydrochloric acid

		· · ·	
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed		
Clean Air Act Section 602 Class I Substances	: Not listed		
Clean Air Act Section 602 Class II Substances	: Not listed		
DEA List I Chemicals (Precursor Chemicals)	: Not listed		
DEA List II Chemicals (Essential Chemicals)	: Listed		
<u>SARA 302/304</u>			
Code # : FF8318449 (D8332704) NA	SDS #	: D83327	04

15. Regulatory information

Composition/information on ingredients

No products were found.

```
SARA 304 RQ : 171821.3 lbs / 78006.9 kg [19910.4 gal / 75369 L]
```

SARA 311/312

Classification

: CORROSIVE TO METALS - Category 1 ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION - Category 1 SERIOUS EYE DAMAGE - Category 1

Composition/information on ingredients

Name	%	Classification
hydrochloric acid	5 - 10	ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
Amines, tallow alkyl, ethoxylated	1 - 5	(Respiratory tract irritation) - Category 3 ACUTE TOXICITY (oral) - Category 4
Alcohols, C12-16, ethoxylated	1 - 5	EYE IRRITATION - Category 2A ACUTE TOXICITY (oral) - Category 4 SERIOUS EYE DAMAGE - Category 1

State regulations

Massachusetts	: The following components are listed: HYDROGEN CHLORIDE; HYDROCHLORIC ACID
New York	: The following components are listed: Hydrochloric acid
New Jersey	: The following components are listed: HYDROGEN CHLORIDE; HYDROCHLORIC ACID
Pennsylvania	: The following components are listed: HYDROCHLORIC ACID
California Prop. 65	

This product does not require a Safe Harbor warning under California Prop. 65.

<u>Label elements</u> <u>CCCR</u>	
Signal word Hazard statements	: DANGER! : CORROSIVE CAUSES BURNS
Precautionary measures	: DO NOT mix with bleach or other chlorinating compounds. DO NOT swallow. DO NOT get in eyes. DO NOT get on skin or clothing. DO NOT breathe fumes. Handle with care. Keep out of reach of children. Wear protective eyewear, protective gloves and protective clothing. Use only in well-ventilated area. This product should not be used or placed on toilet lids, vanities, sinks, bathtubs, cabinets, countertops, rugs, floors etc.
<u>EPA</u>	
Signal word: Hazard statements	: DANGER : CORROSIVE
	HARMFUL IF ABSORBED THROUGH SKIN, SWALLOWED OR INHALED. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. No known significant effects or critical hazards. No known significant effects or critical hazards.
Code # : FF8318449 (D8332704) NA	SDS # : D8332704 v6.0 Date of issue : 04/22/2020 12/14

15. Regulatory information

	No known significant effects or critical hazards.
	No known significant effects or critical hazards.
	No known significant effects or critical hazards.
Special Inert substance.	
Precautionary measures	: Keep out of reach of children.
	Do not get in eyes, on skin or on clothing.
	Avoid breathing vapor or spray mist. Wear protective eyewear such as goggles, face shield, or safety glasses.
	Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
	Remove and wash contaminated clothing before reuse.
	No known significant effects or critical hazards.
	No known significant effects or critical hazards.
Skin sensitizer	: No known significant effects or critical hazards.
Additional information / Re	ecommendations
Additional information	: Store in original container, in a cool, well-ventilated area, inaccessible to small children. Keep securely closed.
Recommendations	: No known significant effects or critical hazards.
Recommendations	: No known significant effects or critical hazards.

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



NFPA (30B) aerosol Flammability No known significant effects or critical hazards.

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

16. Other information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Date of issue	: 04/22/2020
Date of previous issue	: 04/16/2020
Version	: 6
Prepared by	: Reckitt Benckiser India Ltd Plot No 48 Sector - 32 Institutional Area Gurgaon, Haryana India - 122001

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.

Code # : FF8318449 (D8332704) NA