Conforms to USDOL OSHA 29CFR 1910.1200 HAZCOM

SAFETY DATA SHEET

HEALTH + HYGIENE + HOME

LYSOL Power & Fresh 6 - Toilet Bowl Cleaner

1. Product and company identification

Product name	: LYSOL Power & Fresh 6 - Toilet Bowl Cleaner
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
	Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com

Product use : Toilet bowl cleaner

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	: D8293167 v6.0
Formulation #:	: Forest Rain - FF8286970 v2.0; Altantic Fresh - FF8286092 v2.0
UPC Code / Sizes	: Club Pack of 3 Twin Packs - 3x78g = 234g (8.25 oz.) blocks in PET blister, paperback card

2. Hazards identification			
Classification of the substance or mixture	: EYE IRRITATION - Category 2A		
GHS label elements Hazard pictograms			
Code # : D8293167 (NA)) SDS # : D8293167 v6.0 Date of issue : 05/01/2018 1/15		

2. Hazards identification

Signal word	: CAUTION
Hazard statements	: Causes serious eye irritation.
Precautionary statements	
General	: Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wear protective gloves/protective clothing/eye protection/face protection.
Response	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/ attention.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Contains Sodium dodecyl benzenesulfonate and Sodium lauryl sulfate.
Hazards not otherwise classified	: None known.

3. Composition/information on ingredients

Ingredient name	%	CAS number
sodium dodecylbenzenesulfonate	30 - 60	25155-30-0
sodium chloride	10 - 15	7647-14-5
Sulfuric acid, mono-C12-18-alkyl esters, sodium salts	2 - 3.5	68955-19-1
alpha-Pinene	0.1 - 1	80-56-8
2-Methylundecanal	0.1 - 1	110-41-8
4-tert-Butylcyclohexyl acetate	0.1 - 1	32210-23-4
Eucalyptol	0.1 - 1	470-82-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

4. First aid measures

Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effec	ts			
Eye contact	: Causes serious eye irritation.			
Inhalation	: No known significant effects or critical hazards.			
Skin contact	: No known significant effects or critical hazards.			
Ingestion	: No known significant effects or critical hazards.			
Over-exposure signs/symptoms				
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness			
Inhalation	: No specific data.			
Skin contact	: No specific data.			
Ingestion	: No specific data.			

Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 	
Specific treatments	: No specific treatment.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.	

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides halogenated compounds metal oxide/oxides

5. Fire-fighting measures

Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.	

Methods and materials for containment and cleaning up

Small spill	: Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Conditions for safe storage, including any incompatibilities	:	Store between the following temperatures: 5 to 30°C (41 to 86°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

4/15

8. Exposure controls/personal protection

Control

Occupational exposure limits

Ingredient name		Exposure limits		
alpha-Pinene		ACGIH TLV (United States, 3/2015). Skin		
		sensitizer.		
		TWA: 20 ppm 8 hours.		
Citral		ACGIH TLV (United States, 4/2014). Absorbed through skin. Skin sensitizer. TWA: 5 ppm 8 hours. Form: Inhalable fraction and vapor		
Appropriate engineering controls	: Good general ventilati contaminants.	ion should be sufficient to control worker exposure to airborne		
Environmental exposure controls	they comply with the r cases, fume scrubber	ation or work process equipment should be checked to ensure equirements of environmental protection legislation. In some s, filters or engineering modifications to the process equipment educe emissions to acceptable levels.		
Individual protection meas	<u>sures</u>			
Hygiene measures	eating, smoking and u Appropriate technique Wash contaminated c	s and face thoroughly after handling chemical products, before using the lavatory and at the end of the working period. es should be used to remove potentially contaminated clothing. clothing before reusing. Ensure that eyewash stations and safety the workstation location.		
Eye/face protection	assessment indicates gases or dusts. If cor	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.		
Skin protection				
Hand protection	worn at all times wher necessary. Consideri during use that the glo noted that the time to glove manufacturers.	npervious gloves complying with an approved standard should be n handling chemical products if a risk assessment indicates this is ng the parameters specified by the glove manufacturer, check oves are still retaining their protective properties. It should be breakthrough for any glove material may be different for different In the case of mixtures, consisting of several substances, the gloves cannot be accurately estimated.		
Body protection		quipment for the body should be selected based on the task being ks involved and should be approved by a specialist before		
Other skin protection		and any additional skin protection measures should be selected ng performed and the risks involved and should be approved by a lling this product.		
Respiratory protection	appropriate standard	and potential for exposure, select a respirator that meets the or certification. Respirators must be used according to a program to ensure proper fitting, training, and other important		

9. Physical and chemical properties

Appearance

Appearance	
Physical state	: Solid.
Color	: Blue. Green.
Odor	: Characteristic.
Odor threshold	Not available.
pH	
· ·	: 6.5 to 11 [Conc. (% w/w): 1%]
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: >93.3°C (>199.9°F)
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: Not available.
Solubility	: Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Flow time (ISO 2431)	: Not available.

10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

11. Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
sodium	LD50 Oral	Rat - Male,	1080 mg/kg	-
dodecylbenzenesulfonate		Female		
sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Dihydromyrcenol	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	3600 mg/kg	-
Eucalyptol	LD50 Oral	Rat	2480 mg/kg	-
2-Methylundecanal	LD50 Dermal	Rabbit	>10 g/kg	-
-	LD50 Oral	Rat	>5 g/kg	-
alpha-Pinene	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	3700 mg/kg	-
4-tert-Butylcyclohexyl acetate	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	3550 mg/kg	-
Citral	LD50 Dermal	Rabbit	2250 mg/kg	-
	LD50 Oral	Rat	3.45 g/kg	-
d-Limonene	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	4400 mg/kg	-
Linalool	LD50 Dermal	Rabbit	5610 mg/kg	-
	LD50 Dermal	Rat	5610 mg/kg	-
	LD50 Oral	Rat	2790 mg/kg	-
alpha-iso-Methylionone	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
sodium	Eyes - Severe irritant	Rabbit	-	24 hours 250	-
dodecylbenzenesulfonate				Micrograms	
-	Eyes - Severe irritant	Rabbit	-	1 Percent	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20	-
				milligrams	
sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-
				milligrams	
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				milligrams	
Dihydromyrcenol	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				milligrams	
	Eyes - Mild irritant	Rabbit	-	7.5 Percent	-
	Skin - Mild irritant	Rabbit	-	4 hours 0.5	-
				Mililiters	
alpha-Pinene	Skin - Severe irritant	Man	-	100 Percent	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500	-
				milligrams	
4-tert-Butylcyclohexyl acetate	Skin - Mild irritant	Guinea pig	-	4 hours 3	-
				Percent	
	Skin - Moderate irritant	Rabbit	-	4 hours 100	-
				Percent	
	Skin - Moderate irritant	Rabbit	-	24 hours 500	-
				milligrams	
Citral	Skin - Moderate irritant	Guinea pig	-	48 hours 1	-
				Percent	
	Skin - Severe irritant	Guinea pig	-	24 hours 100	-
				milligrams	
	Skin - Mild irritant	Human	-	24 hours 40	-
				milligrams	
ode # : D8293167 (NA)	SDS # : D8293	3167 v6.0 Da	te of issue	: 05/01/2018	7/15

Taxical aginal information 4.4

11. Toxicological	information				
	Skin - Severe irritant	Man	-	48 hours 16	[]
				milligrams	
	Skin - Severe irritant	Pig	-	48 hours 50	-
				milligrams	
	Skin - Moderate irritant	Rabbit	-	24 hours 500	-
				milligrams	
	Skin - Severe irritant	Rabbit	-	24 hours 100	-
				milligrams	
d-Limonene	Skin - Mild irritant	Rabbit	-	24 hours 10	-
Lingland	Europ Madagata ingita at	Dahbit		Percent	
Linalool	Eyes - Moderate irritant	Rabbit	-	1 hours 0.1	-
	Eyes - Moderate irritant	Rabbit		Mililiters 100	
	Eyes - Moderate Initant	Rabbit	-	microliters	-
	Skin - Moderate irritant	Guinea pig	_	24 hours 100	
		Cullica pig		milligrams	
	Skin - Mild irritant	Human	-	72 hours 32	_
				Percent	
	Skin - Mild irritant	Man	-	48 hours 16	-
				milligrams	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				milligrams	
	Skin - Severe irritant	Rabbit	-	24 hours 100	-
				milligrams	
Lysol Power & Fresh	Eyes - Irritant	In vitro	-	-	-
6_Wave_D8293167 NA					
Conclusion/Summary					
Skin	: Based on available data,	the classificatio	n criteria are	not met.	
Eyes	: Based on Calculation me	ethod: Causes s	erious eye irr	itation.	
Respiratory	: Based on available data,	the classificatio	n criteria are	not met.	

Sensitization

Not available.

Conclusion/Summary Skin : Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. Respiratory

Mutagenicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Carcinogenicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Classification

Product/ingredient name	OSHA	IARC	NTP
d-Limonene	-	3	-

8/15

Reproductive toxicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

11. Toxicological information

Teratogenicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Name	Result
•	ASPIRATION HAZARD - Category 1
d-Limonene	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure Potential acute health effects

Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

: Not available.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	<u>cts</u>
Not available.	
Conclusion/Summary	: Based on available data, the classification criteria are not met.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.

11. Toxicological information

Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
sodium dodecylbenzenesulfonate	Acute EC50 29000 µg/l Fresh water	Algae - Chlorella pyrenoidosa - Exponential growth phase	96 hours
	Acute EC50 7.81 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 5.88 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 112.4 mg/l	Algae - Pseudokirchneriella subcapitata - Exponential growth phase	72 hours
	Acute LC50 1.18 ppm Fresh water	Fish - Lepomis macrochirus	96 hours
sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 28.85 mg/dm3 Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
Eucalyptol	Acute LC50 102000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
alpha-Pinene	Acute LC50 41000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 5.28 mg/l Fresh water	Fish - Lepomis macrochirus	96 hours
	Chronic NOEC 8800 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
d-Limonene	Acute EC50 421 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 688 µg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
Linalool	Acute EC50 36.7 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 28.8 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours

Persistence and degradability

12. Ecological information

Product/ingredient name	Test	Result		Dose		Inoculum
Linalool	-	62.4 % - Readily - 28 days		-		-
Product/ingredient name	Aquatic half-life	Aquatic half-life			Biodeg	radability
Linalool	-		-		Readily	

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
sodium	1.96	-	low
dodecylbenzenesulfonate			
Sulfuric acid, mono-	-2.1	-	low
C12-18-alkyl esters, sodium			
salts			
3-Methoxy-3-methyl-1-butanol		3.16	low
Dihydromyrcenol	3.25	-	low
Eucalyptol	2.74	-	low
alpha-Pinene	4.487	-	high
4-tert-Butylcyclohexyl acetate	4.8	-	high
Citral	2.76	89.72	low
d-Limonene	4.38	-	high
Linalool	2.84	-	low

Mobility in soil

Soil/water partition : Not a coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

D8293167 v6.0							
14. Transpor	rt informa	tion					
Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information	
DOT Classification	Not Regulated	Not applicable.	Not available.	-		-	
TDG Classification	Not Regulated	Not applicable.	Not available.	-		-	
Mexico Classification	Not Regulated	Not applicable.	Not available.	-		-	
IMDG Class	Not Regulated	Not applicable.	Not available.	-		-	
IATA-DGR Class	Not Regulated	Not applicable.	Not available.	-		-	
PG* : Packing group	up	ansport within user's pright and secure. Ensigent of an accident or s	ure that persons tra			duct know what to do in the	
15. Regulato	ry inform	ation					
U.S. Federal regulat	TS UI CI pc	SCA 8(a) PAIR: 2-met SCA 8(a) CDR Exemp nited States inventor ean Water Act (CWA olychloro copper phtha ean Water Act (CWA	t/Partial exemptio y (TSCA 8b): All co) 307: 29H,31H-pht locyanine	n: Not ompon halocy	ents are list aninato(2-)·	ed or exempted. N29,N30,N31,N32 copper;	
Clean Air Act Sect (b) Hazardous Air Pollutants (HAPs)	t ion 112 : No	ot listed					
		Not listed					
Clean Air Act Sect Class II Substance		Not listed					
DEA List I Chemica (Precursor Chemic		ot listed					
DEA List II Chemicals : No (Essential Chemicals)		ot listed					

15. Regulatory information

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification

: Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
sodium dodecylbenzenesulfonate	30 - 60	Yes.	No.	No.	Yes.	No.
3-Methoxy-3-methyl-1-butanol	1 - 2.5	Yes.	No.	No.	Yes.	No.
Dihydromyrcenol	1 - 2.5	Yes.	No.	No.	Yes.	No.
Eucalyptol	0.1 - 1	Yes.	No.	No.	Yes.	No.
alpha-Methyl-1,3-benzodioxole- 5-propionaldehyde	0.1 - 1	No.	No.	No.	Yes.	No.
2-Methylundecanal	0.1 - 1	Yes.	No.	No.	Yes.	No.
alpha-Pinene	0.1 - 1	Yes.	No.	No.	Yes.	No.
4-tert-Butylcyclohexyl acetate	0.1 - 1	No.	No.	No.	Yes.	No.
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8, 8-tetramethyl-2-naphthalenyl)ethanone	0.1 - 1	No.	No.	No.	Yes.	No.
Citral	0.1 - 1	No.	No.	No.	Yes.	No.
d-Limonene	0.1 - 1	Yes.	No.	No.	Yes.	No.
Linalool	0.1 - 1	Yes.	No.	No.	Yes.	No.
alpha-iso-Methylionone	0.1 - 1	No.	No.	No.	Yes.	No.

State regulations

Massachusetts	: The following components are listed: SODIUM DODECYLBENZENE SULFONATE; SODIUM SULFATE (SOLUTION); STARCH DUST			
New York	: The following components are listed: Sodium dodecylbenzene sulfonate; Dodecylbenzene sulfonate			
New Jersey	 The following components are listed: SODIUM DODECYLBENZENE SULFONATE; BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; TITANIUM DIOXIDE; TITANIUM OXIDE (TiO2) 			
Pennsylvania	: The following components are listed: BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; SODIUM SULFATE (SOLUTION); STARCH; TITANIUM OXIDE (TIO2)			
<u>Canada</u>				
WHMIS (Canada)	: Class D-2A: Material causing other toxic effects (Very toxic). Class D-2B: Material causing other toxic effects (Toxic).			
<u>Canadian lists</u>				
Canadian NPRI	: None of the components are listed.			
CEPA Toxic substances	: None of the components are listed.			
Canada inventory	: All components are listed or exempted.			
Label elements				
Signal word	: CAUTION			
Hazard statements	: CAUSES EYE IRRITATION.			
Code # : D8293167 (NA)	SDS # : D8293167 v6.0 Date of issue : 05/01/2018 13/15			

D8293167 v6.0 15. Regulatory information				
Additional information	: Contains Sodium dodecyl benzenesulfonate and Sodium lauryl sulfate. IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting. If in eyes, immediately rinse eyes with water. Remove any contact lenses if present and continue rinsing for 15 minutes. If irritation persists, get medical attention.			

16. Other information

Hazardous Material Information System (U.S.A.)

Health	*	2
Flammability		0
Physical hazards		0
Personal protection		В

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

2

÷





Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Date of issue	: 05/01/2018
Date of previous issue	: 10/08/2017
Version	: 6.0

16. Other information

Prepared by

: Reckitt Benckiser India Ltd Plot No 48 Sector - 32 Institutional Area Gurgaon, Haryana India - 122001

Revision comments : PSDS update

V Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.