SAFETY DATA SHEET



Air Wick Essential Mist - Pumpkin Spice

1. Product and company identification

Product name	: Air Wick Essential Mist - Pumpkin Spice
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
	Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com

Product use : Air care, continuous action (solid and liquid)

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	1	D8373963 v1.0
Formulation #	:	3135230 v1.0

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
AirCare Product Consumer Use	

2. Hazards identification Classification of the substance or mixture : FLAMMABLE LIQUIDS - Category 4 GHS label elements Hazard pictograms : Not applicable. Signal word : Warning

Hazard statements : Combustible liquid.

Code # : 3135230_D8373963_NASDS #

Substance/mixture

2. Hazards identification

Precautionary statements	
General	 Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wear protective gloves. Wear eye or face protection. Keep away from flames and hot surfaces No smoking.
Response	: Not applicable.
Storage	: Store in a well-ventilated place. Keep cool.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

3. Composition/information on ingredients Mixture

Ingredient name	%	CAS number	
Distillates (petroleum), hydrotreated light	≥60 - ≤80	64742-47-8	
C11-15-Isoalkanes	≥10 - ≤30	90622-58-5	
Hexyl acetate	≤5	142-92-7	
4-tert-Butylcyclohexyl acetate	<1	32210-23-4	
benzyl alcohol	<1	100-51-6	
Linalool	<1	78-70-6	
alpha-Methyl-1,3-benzodioxole-5-propionaldehyde	<1	1205-17-0	
Coumarin	<1	91-64-5	
d-Limonene	<1	5989-27-5	

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

4. First aid measures		
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.	
Most important symptoms/	effects, acute and delayed	
Potential acute health effe	<u>cts</u>	
Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
Over-exposure signs/sym	<u>otoms</u>	
Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: No specific data.	
Ingestion	: No specific data.	
Indication of immediate me	dical attention and special treatment needed, if necessary	
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 	
Specific treatments	: No specific treatment.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.	

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO ₂ , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: Combustible liquid. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide

5. Fire-fighting measures

Special protective actions	: Promptly isolate the scene by removing all persons from the vicinity of the incident if
for fire-fighters	there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and materials for co	nt	ainment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.

7. Handling and storage	
Conditions for safe storage, including any incompatibilities	: Do not store above the following temperature: 40°C (104°F). Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and
	kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate

materials before handling or use.

containment to avoid environmental contamination. See Section 10 for incompatible

8. Exposure controls/personal protection

Control

Occupational exposure limits

Ingredient name		Exposure limits
Distillates (petroleum), hydr	otreated light	ACGIH TLV (United States, 3/2018). Absorbed through skin. TWA: 200 mg/m ³ , (as total hydrocarbon vapor) 8 hours.
benzyl alcohol		AIHA WEEL (United States, 5/2018). TWA: 10 ppm 8 hours.
d-Limonene		AIHA WEEL (United States, 5/2018). TWA: 30 ppm 8 hours.
Appropriate engineering controls	other engineering controls to keep recommended or statutory limits.	n. Use process enclosures, local exhaust ventilation or o worker exposure to airborne contaminants below any The engineering controls also need to keep gas, w any lower explosive limits. Use explosion-proof
Environmental exposure controls	they comply with the requirement	k process equipment should be checked to ensure s of environmental protection legislation. In some engineering modifications to the process equipment sions to acceptable levels.
Individual protection measu	ures	
Hygiene measures	eating, smoking and using the lav Appropriate techniques should be	horoughly after handling chemical products, before atory and at the end of the working period. used to remove potentially contaminated clothing. re reusing. Ensure that eyewash stations and safety ion location.
Eye/face protection	assessment indicates this is nece gases or dusts. If contact is poss	a approved standard should be used when a risk essary to avoid exposure to liquid splashes, mists, ible, the following protection should be worn, unless r degree of protection: safety glasses with side-
Skin protection		
Hand protection	the gloves are still retaining their in to breakthrough for any glove ma	ified by the glove manufacturer, check during use that protective properties. It should be noted that the time terial may be different for different glove xtures, consisting of several substances, the protection irrately estimated.
Body protection		r the body should be selected based on the task being and should be approved by a specialist before
Code # : 3135230_D837	3963_NA SDS # : D8373963 v1.0	Date of issue : 07/02/2020 5/14

8. Exposure controls/personal protection

Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

9. Physical and chemical properties

Appearance

Physical state	: Liquid.
Color	: Clear. Colorless.
Odor	: Fragrance dependant
Odor threshold	: Not available.
рН	: Not available.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: 72°C (161.6°F)
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	Not available.
Relative density	: Not available.
Solubility	: Not available.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.

Aerosol product

10. Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients.
: The product is stable.
: Under normal conditions of storage and use, hazardous reactions will not occur.
: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
: Reactive or incompatible with the following materials: oxidizing materials
: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

6/14

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Distillates (petroleum),	LD50 Dermal	Mammal -	>3160 mg/kg	-
hydrotreated light		species		
		unspecified		
	LD50 Oral	Mammal -	>15000 mg/kg	-
		species		
		unspecified		
Hexyl acetate	LD50 Dermal	Rabbit	>5 g/kg	-
4-tert-Butylcyclohexyl acetate	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	3550 mg/kg	-
benzyl alcohol	LD50 Dermal	Rabbit	2000 mg/kg	-
	LD50 Oral	Rat	1230 mg/kg	-
Linalool	LD50 Dermal	Rabbit	5610 mg/kg	-
	LD50 Dermal	Rat	5610 mg/kg	-
	LD50 Oral	Rat	2790 mg/kg	-
Coumarin	LD50 Oral	Rat	293 mg/kg	-
d-Limonene	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	4400 mg/kg	-

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Hexyl acetate	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
4-tert-Butylcyclohexyl acetate	Skin - Mild irritant	Guinea pig	-	4 hours 3 Percent	-
	Skin - Moderate irritant	Rabbit	-	4 hours 100 Percent	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-
benzyl alcohol	Skin - Mild irritant	Man	-	48 hours 16 milligrams	-
	Skin - Moderate irritant	Pig	-	100 Percent	_
	Skin - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
Linalool	Eyes - Moderate irritant	Rabbit	-	1 hours 0.1 Mililiters	-
	Eyes - Moderate irritant	Rabbit	-	100 microliters	-
	Skin - Moderate irritant	Guinea pig	-	24 hours 100 milligrams	-
	Skin - Mild irritant	Human	-	72 hours 32 Percent	-
	Skin - Mild irritant	Man	-	48 hours 16 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 100 milligrams	-
d-Limonene	Skin - Mild irritant	Rabbit	-	24 hours 10 Percent	-

D8373963 v1.0					
11. Toxicological i	'n	format	ion		
Conclusion/Summary				1	
Skin	:	Based on	available c	lata, the classification	n criteria are not met.
Eyes	:	Based on	available c	lata, the classification	n criteria are not met.
Respiratory	1	Based on	available c	lata, the classification	n criteria are not met.
Sensitization Not available.					
Conclusion/Summary					
Skin	:	Based on	available c	lata, the classification	n criteria are not met.
Respiratory	:	Based on	available c	lata, the classification	n criteria are not met.
Mutagenicity Not available.					
Conclusion/Summary	:	Based on	available c	lata, the classification	n criteria are not met.
Carcinogenicity Not available.					
Conclusion/Summary <u>Classification</u>	:	Based on	available c	lata, the classification	n criteria are not met.
Product/ingredient name		OSHA	IARC	NTP	
Coumarin d-Limonene		-	3 3	-	
Reproductive toxicity Not available.					
Conclusion/Summary Teratogenicity Not available.	:	Based on	available c	lata, the classification	n criteria are not met.
Conclusion/Summary	:	Based on	available c	lata, the classification	n criteria are not met.
Specific target organ toxicit Not available.	: y ((single exp	<u>osure)</u>		
Specific target organ toxicit Not available.	<u>у</u> ((repeated e	exposure)		
Aspiration hazard					
Name					Result
C11-15-Isoalkanes d-Limonene					ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1
Information on the likely routes of exposure	:	Not availa	ble.		
Potential acute health effects	ż				
Eye contact	1	No knowr	n significant	t effects or critical haz	zards.

: No known significant effects or critical hazards. Inhalation

: No known significant effects or critical hazards. Skin contact

Code #	: 3135230_D8373963_NASDS #	: D8373963 v1.0	Date of issue	: 07/02/2020	
--------	----------------------------	-----------------	---------------	--------------	--

8/14

11. Toxicological information

Ingestion

: No known significant effects or critical hazards.

Symptoms related t	o the physical, chemical and toxicological characteristics
Eye contact	: No specific data.

Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
<u>Long term exposure</u>		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Potential chronic health eff	<u>xts</u>	
Not available.		
Conclusion/Summary	: Based on available data, the classification criteria are not met.	
General	: No known significant effects or critical hazards.	
Carcinogenicity	: No known significant effects or critical hazards.	
Mutagenicity	: No known significant effects or critical hazards.	
Teratogenicity	: No known significant effects or critical hazards.	
Developmental effects	: No known significant effects or critical hazards.	
Fertility effects	: No known significant effects or critical hazards.	

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
4-tert-Butylcyclohexyl acetate	3550	N/A	N/A	N/A	N/A
benzyl alcohol	1230	2000	N/A	N/A	N/A
Linalool	2790	5610	N/A	N/A	N/A
alpha-Methyl-1,3-benzodioxole-5-propionaldehyde	2500	N/A	N/A	N/A	N/A
Coumarin	500	N/A	N/A	N/A	N/A
d-Limonene	4400	N/A	N/A	N/A	N/A

12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Distillates (petroleum), hydrotreated light	Acute LC50 5900 μg/l Fresh water	Fish - Lepomis macrochirus	4 days
	Acute LC50 2200 µg/l Fresh water	Fish - Lepomis macrochirus	4 days
	Acute LC50 2600 µg/l Fresh water	Fish - Oncorhynchus mykiss	4 days
Hexyl acetate	Acute LC50 4000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
benzyl alcohol	Acute LC50 10000 µg/l Fresh water	Fish - Lepomis macrochirus	96 hours
Linalool	Acute EC50 36.7 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 28.8 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
Coumarin	Acute LC50 13500 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 56000 µg/l Fresh water	Fish - Poecilia reticulata	96 hours
d-Limonene	Acute EC50 421 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 688 µg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours

Conclusion/Summary : Based on available data, the classification criteria are not met.

Persistence and degradability

Product/ingredient name	Test	Result		Dose		Inoculum
Linalool	-	62.4 % - Re	eadily - 28 days	-		-
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	radability
Linalool	-		-		Readily	

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
4-tert-Butylcyclohexyl acetate	4.8	-	high
benzyl alcohol	0.87	-	low
Linalool	2.84	-	low
Coumarin	1.39	-	low
d-Limonene	4.38	-	high

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been

13. Disposal considerations

cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

	TDG Classification	DOT Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

Additional information

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

15. Regulatory information

U.S. Federal regulations	÷
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals : Not listed (Precursor Chemicals)	
DEA List II Chemicals : Not listed (Essential Chemicals)	
SARA 302/304	
Composition/information	<u>on ingredients</u>
No products were found.	
SARA 304 RQ	: Not applicable.
Code # : 3135230_D8373	963_NA SDS # :

15. Regulatory information

SARA 311/312

Classification

: FLAMMABLE LIQUIDS - Category 4

Composition/information on ingredients

Name	%	Classification
Distillates (petroleum), hydrotreated light	≥60 - ≤80	FLAMMABLE LIQUIDS - Category 3
C11-15-Isoalkanes	≥10 - ≤30	FLAMMABLE LIQUIDS - Category 4
		ASPIRATION HAZARD - Category 1
Dipropylene glycol monomethyl ether	≥5 - ≤10	FLAMMABLE LIQUIDS - Category 4
Hexyl acetate	≤5	FLAMMABLE LIQUIDS - Category 3
		EYE IRRITATION - Category 2B
4-tert-Butylcyclohexyl acetate	<1	SKIN IRRITATION - Category 2
		EYE IRRITATION - Category 2A
		SKIN SENSITIZATION - Category 1B
benzyl alcohol	<1	ACUTE TOXICITY (oral) - Category 4
		ACUTE TOXICITY (dermal) - Category 4
		SKIN IRRITATION - Category 2
		EYE IRRITATION - Category 2A
Linalool	<1	FLAMMABLE LIQUIDS - Category 4
		SKIN IRRITATION - Category 2
		EYE IRRITATION - Category 2A
		SKIN SENSITIZATION - Category 1B
alpha-Methyl-1,3-benzodioxole-	<1	SKIN SENSITIZATION - Category 1B
5-propionaldehyde		TOXIC TO REPRODUCTION (Fertility) - Category 2
		TOXIC TO REPRODUCTION (Unborn child) - Category 2
Coumarin	<1	ACUTE TOXICITY (oral) - Category 4
		SKIN SENSITIZATION - Category 1B
d-Limonene	<1	FLAMMABLE LIQUIDS - Category 3
		SKIN IRRITATION - Category 2
		SKIN SENSITIZATION - Category 1B
		ASPIRATION HAZARD - Category 1

State regulations	
Massachusetts	: The following components are listed: DIPROPYLENE GLYCOL METHYL ETHER
New York	: None of the components are listed.
New Jersey	 The following components are listed: DIPROPYLENE GLYCOL METHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL
Pennsylvania	: The following components are listed: PROPANOL, (2-METHOXYMETHYLETHOXY)-
Colifornia Dron 65	

California Prop. 65

A This product does not require a Safe Harbor warning under California Prop. 65.

Label elements

C	PS	С
-		_

Signal word Hazard statements Precautionary measures	may cause an	F REACH OF CHILDR allergic reaction. Avoid	EN AND PETS. Prolonged or frequed contact with eyes, skin and clothin Contains fragrance oils.	
CCCR				
Signal word Hazard statements	: CAUTION : IRRITANT			
Code # : 3135230_D8373	3963_NA <mark>SDS</mark> #	: D8373963 v1.0	Date of issue : 07/02/2020	12/14


15. Regulatory information

	MAY IRRITATE EYES		
Precautionary measures	 Prolonged or frequent skin contact may cause an allergic reaction. Avoid contact with eyes, skin and clothing. DO NOT ingest. KEEP OUT OF REACH OF CHILDREN AND PETS. Use in well ventilated areas. Contains fragrance oils. 		
Additional information / Recommendations			

Additional information : If swallowed, DO NOT induce vomiting. Call a physician or Poison Control Centre immediately. If in eyes, rinse eyes with water. Remove any contact lenses and continue to rinse eyes for at least 15 minutes. If on skin, wash area with soap and water. If irritation persists, get medical attention. Discontinue use immediately and get medical attention if a reaction develops. Wash hands after handling.

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



NFPA (30B) aerosol Flammability No known significant effects or critical hazards.

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

16. Other information

as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

Date of issue Date of previous issue Version	07/02/2020No previous validation1.0	
Prepared by	: Reckitt Benckiser India Ltd Plot No 48 Sector - 32 Institutional Area Gurgaon, Haryana India - 122001	

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.