Conforms to USDOL OSHA 29CFR 1910.1200 HAZCOM

SAFETY DATA SHEET



Air Wick Aerosol - Apple Cinnamon Medley

1. Product and company identification

Product name	: Air Wick Aerosol - Apple Cinnamon Medley
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	:	D8256515 v4.0
Formulation #	:	8240125 v3.0
UPC Code / Sizes	÷	Aerosol can

Relevant identified uses of the substance or mixture and uses advised against

: Air care

Identified uses

Product use

Consumer use Air care, instant action (aerosol sprays)

2. Hazards identification			
Classification of the substance or mixture	: GASES UNDER PRESSURE - Liquefier	d gas	
GHS label elements Hazard pictograms			
Signal word	: Warning		
Code # : FF8240125 (D8256515) N/	SDS # : D8256515 v4.0 E	Date of issue : 10/28/2020	1/13

2. Hazards identification

Hazard statements	: Contains gas under pressure; may explode if heated.			
Precautionary statements				
General	: If medical advice is needed, have product container or label at hand. Keep out of reach of children.			
Prevention	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.			
Response	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
Storage	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.			
Disposal	: Not applicable.			
Supplemental label elements	: None known.			
Hazards not otherwise classified	: None known.			

3. Composition/information on ingredients

Substance/mixture : Mixture		
Ingredient name	%	CAS number
ethanol disodium tetraborate decahydrate	1 - 5 0.1 - 1	64-17-5 1303-96-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs. Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie. belt or waistband. Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. Ingestion : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. : D8256515 v4.0 Code # : FF8240125 SDS # Date of issue : 10/28/2020 2/13 (D8256515) NA

4. First aid measures

Most important symptoms/effects, acute and delayed

Potential acute health effe	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>otoms</u>
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may

be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst. Bursting aerosol containers may be propelled from a fire at high speed.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	nt	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Empty containers retain product residue and can be hazardous.
Conditions for safe storage, including any incompatibilities	:	Do not store above the following temperature: 50°C (122°F). Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Protect from sunlight. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

(D8256515) NA

D8256515 v4.0

8. Exposure controls/personal protection

Control

Occupational exposure limits

Ingredient name	Exposure limits
ethanol	ACGIH TLV (United States, 3/2018). STEL: 1000 ppm 15 minutes. OSHA PEL 1989 (United States, 3/1989). TWA: 1000 ppm 8 hours. TWA: 1900 mg/m ³ 8 hours. NIOSH REL (United States, 10/2016). TWA: 1000 ppm 10 hours. TWA: 1900 mg/m ³ 10 hours. OSHA PEL (United States, 5/2018). TWA: 1000 ppm 8 hours. TWA: 1900 mg/m ³ 8 hours.
disodium tetraborate decah	vdrateOSHA PEL 1989 (United States, 3/1989).TWA: 10 mg/m³ 8 hours.NIOSH REL (United States, 10/2016).TWA: 5 mg/m³ 10 hours.ACGIH TLV (United States, 3/2018).TWA: 2 mg/m³ 8 hours. Form: InhalablefractionSTEL: 6 mg/m³ 15 minutes. Form: Inhalablefraction
Appropriate engineering controls	: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
ndividual protection measu	<u>res</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Code # : FF8240125	SDS # : D8256515 v4.0 Date of issue : 10/28/2020 5/13

8. Exposure controls/personal protection

Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

9. Physical and chemical properties

<u>Appearance</u>		
Physical state	id. [Aerosol.]	
Color	r.	
Odor	e Cinnamon	
Odor threshold	available.	
рН	o 9.5 [Conc. (% w/w): 100%]	
Melting point	available.	
Boiling point	available.	
Flash point	available.	
Evaporation rate	available.	
Flammability (solid, gas)	available.	
Lower and upper explosive (flammable) limits	available.	
Vapor pressure	available.	
Vapor density	available.	
Relative density	available.	
Density	to 1 g/cm³ [25°C (77°F)]	
Solubility	ly soluble in the following material	s: cold water and hot water.
Partition coefficient: n- octanol/water	available.	
Auto-ignition temperature	available.	
Decomposition temperature	available.	
Viscosity	available.	
Aerosol product		
Type of aerosol	IV	
Heat of combustion	6 kJ/g	
	-	

10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
ethanol	LC50 Inhalation Vapor	Rat	124700 mg/m³	4 hours
disodium tetraborate	LD50 Oral	Rat	7 g/kg	-
decahydrate	LD50 Oral	Rat	2660 mg/kg	-

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
ethanol	Eyes - Moderate irritant	Rabbit	-	0.066666667 minutes 100 milligrams	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	100 microliters	-
	Skin - Mild irritant	Rabbit	-	400 milligrams	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Skin Eyes

: Based on available data, the classification criteria are not met.

: Based on available data, the classification criteria are not met.

Respiratory

Sensitization

Not available.

<u>Conclusion/Summary</u> Skin Respiratory	 Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Mutagenicity Not available.	
Conclusion/Summary Carcinogenicity	: Based on available data, the classification criteria are not met.
Code # : FF8240125	SDS # : D8256515 v4.0 Date of issue : 10/28/2020

11. Toxicological information

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Classification

Product/ingredient name	OSHA	IARC	NTP
ethanol	-	1	-

Reproductive toxicity

Product/ingredient name	Maternal toxicity	Fertility	Development toxin	Species	Dose	Exposure
disodium tetraborate decahydrate	-	-	-	Rat	Oral: 9.6 mg/kg bw/ day expressed as quantity of B	-

Conclusion/Summary : Based on available data, the classification criteria are not met.

Teratogenicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	Adverse symptoms m irritation redness	ay include the fo	llowing:		
Inhalation	:	Adverse symptoms m respiratory tract irritati coughing		llowing:		
Skin contact	:	No specific data.				
Ingestion	:	No specific data.				
	8240125 256515) NA	SDS # : D8	256515 v4.0	Date of issue	: 10/28/2020	8/13

11. Toxicological information

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
<u>Long term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	<u>ect</u>	<u>s</u>
Not available.		
Conclusion/Summary	:	Based on available data, the classification criteria are not met.
Conclusion/Summary General		Based on available data, the classification criteria are not met. No known significant effects or critical hazards.
•	:	
General	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Oral (mg/ kg)	Dermal (mg/kg)		Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
7000	N/A	N/A	124.7	N/A
2660	N/A	N/A	N/A	N/A

12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
ethanol	Acute EC50 17.921 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 2000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 25500 µg/l Marine water	Crustaceans - Artemia franciscana - Larvae	48 hours
	Acute LC50 11000000 µg/l Marine water	Fish - Alburnus alburnus	96 hours
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 100 ul/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days
disodium tetraborate decahydrate	Acute EC50 1645 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours

Conclusion/Summary : Based on available data, the classification criteria are not met.

Persistence and degradability

Not available.

Code #

12. Ecological information

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
ethanol	-0.35	-	low

<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	: Not available.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

14. Transport information

	DOT Classification	TDG Classification	IMDG	ΙΑΤΑ
UN number	UN1950	UN1950	UN1950	UN1950
UN proper shipping name	Aerosols	AEROSOLS	AEROSOLS	Aerosols, non- flammable
Transport hazard class(es)	2.2	2.2	2.2	2.2
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

Additional information

- **DOT Classification**
- : Limited quantity
- **TDG Classification** IMDG
- ΙΑΤΑ

- : Limited quantity : Limited quantity
- : See DG List

SDS #

14. Transport information

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

15. Regulatory information

U			
U.S. Federal regulations	: Uı	nited States invent	tory (TSCA 8b): All components are active or exempted.
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: No	ot listed	
Clean Air Act Section 602 Class I Substances	: No	ot listed	
Clean Air Act Section 602 Class II Substances	: No	ot listed	
DEA List I Chemicals (Precursor Chemicals)	: Not listed		
DEA List II Chemicals (Essential Chemicals)	: Not listed		
<u>SARA 302/304</u>			
Composition/information	<u>on ing</u>	<u>redients</u>	
No products were found.			
SARA 304 RQ	: No	ot applicable.	
<u>SARA 311/312</u>			
Classification	: GA	SES UNDER PRES	SSURE - Liquefied gas
Composition/information	<u>on ing</u>	<u>redients</u>	
Name		%	Classification
ethanol		1 - 5	FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A
disodium tetraborate decahydrate		0.1 - 1	TOXIC TO REPRODUCTION - Category 1B
State regulations		·	•
Massachusetts	: Th	ne following compor	nents are listed: ETHYL ALCOHOL; DENATURED ALCOHOL
New York	: None of the components are listed.		
New Jersey	: The following components are listed: ETHYL ALCOHOL; ALCOHOL		
Pennsylvania	Pennsylvania : The following components are listed: DENATURED ALCOHOL; ETHANOL		
California Prop. 65			
This product does not re	equire	a Safe Harbor warr	ning under California Prop. 65.
<u>Label elements</u> <u>CPSC</u>			
Signal word Hazard statements		UTION INTENTS UNDER	PRESSURE. CONTANER MAY EXPLODE IF HEATED.

Code #	: FF8240125	SDS #	: D8256515 v4.0	Date of issue	: 10/28/2020	11/13
	(D8256515) NA					

15. Regulatory information

Precautionary measures	:	KEEP OUT OF REACH OF CHILDREN AND PETS. May cause eye irritation. Avoid contact with eyes, skin and clothing. Prolonged or frequent skin contact may cause an allergic reaction. DO NOT ingest. DO NOT spray directly on food. DO NOT breathe spray. DO NOT spray toward face.
CCCR		
Signal word Hazard statements		CAUTION CONTENTS UNDER PRESSURE CONTAINER MAY EXPLODE IF HEATED MAY IRRITATE EYES
Precautionary measures	:	Do not get in eyes, on skin, or on clothing. Keep out of reach of children.
		DO NOT breathe spray. DO NOT ingest. DO NOT spray directly on food. Prolonged or frequent skin contact may cause an allergic reaction. DO NOT spray toward face. DO NOT puncture or incinerate container. DO NOT burn. Store away from heat. DO NOT expose to heat or store at temperatures above 120 oF (49 oC), as the container may burst. Slippery on hard surfaces. Some hard surfaces may become damp when sprayed. Avoid slips or falls. Spray away from face and body.
Additional information / Rec	om	imendations
Additional information	:	If in eyes, rinse eyes with water. Remove any contact lenses and continue to rinse eyes for at least 15 minutes. If irritation occurs, get medical attention. If on skin, wash area with soap and water. If irritation occurs, get medical attention. Discontinue use immediately and get medical attention if a reaction develops. Wash hands after handling. If swallowed, call a Poison Control Center or doctor immediately. DO NOT induce vomiting.
Recommendations	:	DO NOT puncture or incinerate container. DO NOT expose to heat or store at temperatures above 120oF, as the container may burst. Slippery on hard surfaces. Some hard surfaces may become damp when sprayed. Avoid slips or falls. Spray away from face and body.
Recommendations	:	No known significant effects or critical hazards.

16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)

16. Other information

	Flammability		
Health 20	Instability		
	Special hazards		
NFPA (30B) aerosol Flammabilit	y Level 1		
Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations 		
Date of issue	: 10/28/2020		
Date of previous issue	: 03/04/2020		
Version	: 4		
Prepared by	Reckitt Benckiser LLC. Product Safety Department 1 Philips Parkway Montvale, New Jersey 07646-1810 USA. FAX: 201-476-7770		

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.