



Safety Data Sheet

Revision Date: 05/25/2021

Section 1: Product and Company Identification

Product Name: Biofreeze Foam
Chemical Family: Mixture

Recommended Use:
Restrictions on Use:

Company: Performance Health
1245 Home Avenue
Akron, OH 44310

Telephone: (330) 633-8460 (Only available during normal business hours.)

Emergency Telephone: (800) 321-2135 CHEMTREC (Transportation): (800) 424-9300
--

Section 2: Hazards Identification

Emergency Overview:
Warning: Flammable. May Cause Eye Irritation

GHS Classification:
Flammable Liquid, Category 3
Eye Irritant, Category 2B

GHS Label Elements:

Pictograms:



Signal Word: Warning

Hazard Statements:

H226: Flammable liquid and vapor
 H320: Causes Eye Irritation

Precautionary Statements:

P210: Keep away from heat/sparks/open flames/hot surfaces.-No smoking.
 P233: Keep container tightly closed.
 P264: Wash hands thoroughly after handling.
 P403 + P235: Store in a well-ventilated place. Keep cool.

European Economic Community Information: This product meets the definition of the following hazard class as defined by the European Economic Community Guidelines.

EU Classification: [R10] Flammable, [Xi] Irritant

EU Risk Phrases: R10: Flammable; R36: Irritating to eyes

EU Safety Phrases: S2: Keep out of reach of children; S7: Keep container tightly closed; S16: Keep away from sources of ignition – No smoking; S25: Avoid contact with eyes; S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

EU Symbols



Section 3: Composition/Information on Ingredients

Chemical Ingredients:	CAS Number:	Percent Range	Classification of Ingredient according to 67/548/EEC*	Classification of Ingredient according to Regulation (EC) No 1272/2008 [CLP]*
Ethyl Alcohol	64-17-5	20-40%	F; R11	Flam. Liq. 2 H225 Eye Irrit. 2 H319
PEG-12 Dimethicone	68937-54-2	5-12%	Not classified.	Substance with a community workplace exposure limit.
BIS-PEG-10 Dimethicone	102783-01-7	5-12%	Not classified.	Substance with a community workplace exposure limit.
L-Menthol	2216-51-5	6-8%	Not classified.	Substance with a community workplace exposure limit.

*Legend: F: Highly flammable
 R11: Highly flammable
 Xi: Irritant
 R36: Irritating to eyes

R67: Vapors may cause drowsiness or dizziness
H225: Highly flammable liquid and vapor
H319: Causes serious eye irritation
H336: May cause drowsiness or dizziness

Section 4: First Aid Measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if victim feels unwell.

Skin Contact: Not applicable.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

Section 5: Fire Fighting Measures

Suitable Extinguishing Media: Water, carbon dioxide, dry chemical, or foam

Specific Hazards in Case of Fire: None known.

Special Protective Equipment for Fire-Fighters: Use protective clothing and breathing equipment appropriate for the surrounding fire.

Section 6: Accidental Release Measures

Personal Precautions: Eliminate all ignition sources and heat sources if safe to do so. Take off contaminated clothing and wash before reuse.

Environmental Precautions: Do not flush into surface water or sanitary sewer system.

Methods for Containment/Cleaning Up: Contain spillage and collect with non-combustible absorbent material. Disposal should be in accordance with all applicable local, state and federal regulations.

Section 7: Handling and Storage

Handling: Avoid breathing vapor or mist. Wash hands thoroughly after handling. Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Keep out of reach of children.

Storage: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Keep away from heat, sparks, open flames, and hot surfaces. No smoking.

Section 8: Exposure Controls/Personal Protection

US Exposure Limits:

Chemical Ingredients:	CAS Number:	OSHA PEL	NIOSH REL	ACGIH TLV
Ethyl Alcohol	64-17-5	1,000 ppm	1,000 ppm (TWA) 3,300 ppm IDLH)	1,000 ppm
PEG-12 Dimethicone	68937-54-2	Not Established	Not Established	Not Established
BIS-PEG-10-Dimethicone	102783-01-7	Not Established	Not Established	Not Established
L-Menthol	2261-51-5	Not Established	Not Established	Not Established

Engineering Controls: Use only in a well-ventilated area.

Personal Protective Equipment:

Eye Protection: None required under normal conditions of use.

Hand Protection: Not Applicable

Skin and Body Protection: Not Applicable

Respiratory Protection: None required under normal conditions of use.

Hygiene Measures: Wash hands thoroughly after handling. Use only in a well-ventilated area.

Section 9: Physical and Chemical Properties

Physical State:	Liquid/Foam
Color:	Colorless
Odor:	Menthol Scented
Odor Threshold:	Not Available
pH:	6.0 – 8.5
Melting/Freezing Point:	Not Available
Initial Boiling Point:	Not Available
Flash Point:	31.6C
Evaporation Rate:	Not Available
Flammability (solid, gas):	Not Applicable
Lower Explosive Limit:	Not Available
Upper Explosive Limit:	Not Available
Lower Flammability Limit:	20%
Upper Flammability Limit:	35%
Vapor Pressure:	Not Available
Vapor Density:	Not Available
Relative Density:	0.95 ± 0.05
Water Solubility:	Complete
Partition Coefficient:	Not Available
Autoignition Temperature:	Not Available
Decomposition Temperature:	Not Available
Viscosity:	Not Applicable

Section 10: Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage.

Conditions to Avoid: Sources of ignition, heat, sunlight, pressure.

Incompatible Materials: Strong acids and oxidizers.

Hazardous Decomposition Products: Alcoholic vapors.

Hazardous Polymerization: Will not occur.

Section 11: Toxicological Information

Inhalation: No known effects.

Ingestion: May be harmful if swallowed.

Skin Contact: Relieves pain when used in accordance with instructions.

Eye Contact: May cause eye irritation.

Chronic Exposure: No known effects.

Aggravation of Pre-existing Conditions: No information found.

Numerical Measures of Toxicity: None available.

Carcinogenicity: Not known to be as defined by OSHA, IARC or NTP.

Section 12: Ecological Information

This product is safe for the environment at the concentrations predicted under normal use conditions.

Section 13: Disposal Considerations

Dispose of contents/container in accordance with all applicable local, state and national regulations.

Section 14: Transport Information

US DOT:

Proper shipping name:	Flammable liquid nos (contains ethyl alcohol)
Hazard class:	3 Flammable liquid
UN Number:	UN 1993
Packing Group:	III
Labels:	Flammable Liquid Class 3

If a Limited Quantity (49CFR 173.150) then ship as follows:

Safety Data Sheet

Proper shipping name: Not required.
Hazard class: Not required.
UN Number: Not required.
Labels: Use ground limited quantity label.

DOT Hazardous Substance RQ: None/no reportable quantities
DOT Marine Pollutants: None/no reportable quantities

IATA:

Proper shipping name: Flammable liquid nos (contains ethyl alcohol)
Hazard class: 3 Flammable liquid
UN Number: UN 1993
Packing Group: III
Labels: Flammable Liquid, Air limited quantity Y label.

If a Limited Quantity (49CFR 173.150) then ship as follows:

Proper shipping name: Flammable liquid nos (contains isopropyl alcohol)
Hazard Class: 3 (Flammable)
UN Number: UN1993
Packing Group: III
Labels: Air limited quantity Y label.

IMDG (All domestic and international shipments by Ocean)

Proper shipping name: Flammable liquid nos (contains ethyl alcohol)
Hazard Class: 3 (Flammable)
UN Number: UN1993
Packing Group: III
Labels: Flammable Liquid

If a Limited Quantity (49CFR 173.150) then ship as follows:

Proper shipping name: Flammable liquid nos(contains ethyl alcohol), LTD. QTY.
Hazard Class: 3 (Flammable)
UN Number: UN1993
Packing Group: III
Labels: Limited Quantity

Section 15: Regulatory Information

US Regulatory Information:

OSHA Hazards: Flammable, Irritant

SARA 302: None/no reportable quantities.

SARA 311/312 Hazard Categories: Fire Hazard, Acute Health Hazard

SARA 313: Ethyl Alcohol (CAS #64-17-5) is subject to SARA 313 reporting requirements.

TSCA: All substances in this product are listed on the TSCA inventory if required.

Canadian Regulatory Information:

DSL List: All components of this product comply with registration requirements.

European Economic Community Information for Constituents: The following information is available for the components of this product:

Ethyl Alcohol: EU EINECS/ELINCS Number: 200-578-6
L-Menthol: EU EINECS/ELINCS Number: 218-690-9

EU Labeling and Classification According to Directive 1999/45/EC: This product meets the definition of the following hazard class as defined by the European Economic Community Guidelines.

EU Classification: [R10] Flammable, [Xi] Irritant

EU Risk Phrases: R10: Flammable; R36: Irritating to eyes; R67: Vapors may cause drowsiness or dizziness.

EU Safety Phrases: S2: Keep out of reach of children; S7: Keep container tightly closed; S16: Keep away from sources of ignition – No smoking; S25: Avoid contact with eyes; S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

EU Symbols:



Japanese Information:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I Specified Chemical Substances or Class II Specified Chemical Substances by the Japanese MITI.

Japanese ENCS Inventory: The components of this product are on the ENCS Inventory if required.

Poisonous and Deleterious Substances Control Law: No component of this product is a listed poisonous, deleterious, or specified poisonous substance under the Poisonous and Deleterious Substances Control Law.

Other International Chemical Inventories:

China Inventory of Existing Chemical Substances (IECSC): The components of this product are on the IECSC if required.

Korean Existing Chemicals List (KECL): The components of this product are on the KECL if required.

Philippines Inventory of Chemicals and Chemical Substances (PICCS): The components of this product are on the PICCS if required.

Section 16: Other Information

The information contained in this SDS is presented in good faith and believed to be accurate based on the information provided. The SDS does not purport to be all inclusive and, shall be used only as a guide. While Performance Health, Inc. believes that the data contained herein comply with 29 CFR 1910.1200, they are not to be taken as a warranty or representation for which Performance Health, Inc. assumes legal responsibility. Performance Health, Inc. shall not be held liable or accountable for any loss or damage associated with the use of this material and information. The recommended industrial hygiene and safe use, handling, storage, and disposal procedures are believed to be generally applicable. However, since the use, handling, storage, and disposal are beyond Performance Health, Inc. control, it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability of loss, damage, or expense arising out of the material's improper use.

HMIS Classification:

Health Hazard:	1
Flammability:	2
Physical Hazards:	0

Legend:

ACGIH: American Conference of Governmental & Industrial Hygienists
CAS: Chemical Abstract Service
CFR: Code of Federal Regulations
DOT: Department of Transportation
DSL/NDL: Domestic Substances List/Non-Domestic Substances List
EC Number: EINECS Number or ELINCS Number
EINECS: European Inventory of Existing Commercial Chemical Substance
ELINCS: European List of Notified Substance
ENCS: Existing and New Chemical Substances
EU: European Union
GHS: Globally Harmonized System of Chemical Classification and Labelling
HMIS: Hazardous Materials Identification System
IARC: International Agency for the Research of Cancer
IATA: International Air Traffic Association
ICAO: International Civil Aviation Organization
IDLH: Immediately Dangerous to Life or Health
IMDG: International Maritime Dangerous Goods
IMO: International Maritime Organizations
MAK: Maximale Arbeitsplatzkonzentration (Exposure Limit)
NIOSH: National Institute of Occupational Safety and Health
NFPA: National Fire Protection Association
NTP: National Toxicology Program
OSHA: Occupational Safety & Health Administration
PEL: Permissible Exposure Limits
RCRA: Resource Conservation & Recovery Act
REL: Recommended Exposure Limits
RQ: Reportable Quantity
RTK: Right-To-Know
SARA: Superfund Amendments & Reauthorization Act
STEL: Short Term Exposure Limit
TLV: Threshold Limit Value
TSCA: Toxic Substances Control Act
TWA: Time Weighted Average
TCLP: Toxicity Characteristic Leaching Procedure
US: United States
VOC: Volatile Organic Compounds
