


1. Product and Company Identification

Product Name Professional LYSOL® All Purpose Cleaner with Bleach
UPC CODES Refer to Section 16
CAS # Mixture
Product use Cleaner
Distributed by Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-228-4722
 Transportation Emergencies: 24 Hour Number:
 North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 2
Flammability	0
Physical Hazard	1
Personal Protection	C



2. Hazards Identification

Emergency overview

WARNING
 Causes eye and skin irritation.
 Do not get in eyes, on skin or on clothing.
 Odors may irritate.
 Use only in well-ventilated areas.
 Avoid prolonged breathing of vapor.
 Not recommended for use by persons with heart conditions or chronic respiratory problems such as asthma, emphysema or obstructive lung disease.
HARMFUL IF SWALLOWED.
APPLY CAREFULLY, contains bleach.
 For sensitive skin or prolonged use, wear rubber gloves.
 Do not mix with other household chemicals, such as products containing ammonia, toilet bowl cleaners, vinegars, or acidic cleaners or with other LYSOL® Brand products, as hazardous gases may be released.
AVOID CONTACT with clothes, fabric, carpet, wood, rubber, painted and paper surfaces, and finished floors.
 Rinse immediately after use on metal to avoid pitting or discoloration.
 Prolonged contact with metal, old porcelain, plastic laminate, quarry tile and marble may cause discoloration.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.
Eyes	Causes eye irritation.
Skin	Causes skin irritation.
Inhalation	Odors may irritate.
Ingestion	Harmful if swallowed.
Target organs	Eyes. Respiratory system. Skin.
Chronic effects	The finished product is not expected to have chronic health effects.
Signs and symptoms	Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Sodium hypochlorite	7681-52-9	1 - 5
Sodium hydroxide	1310-73-2	0 - 1

4. First Aid Measures

First aid procedures

Eye contact

In case of eye contact, immediately flush eyes with water, remove any contact lenses, and continue flushing eyes for at least 15 minutes. Get medical attention immediately.

Skin contact

In case of skin contact, immediately wash with plenty of soap and water. If irritation persists, get medical attention.

Inhalation

If breathing is affected, get fresh air immediately.

Ingestion

If swallowed, drink a glass of water and get prompt medical attention.

Notes to physician

Symptoms may be delayed.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties

Not flammable by OSHA criteria.

Extinguishing media**Suitable extinguishing media**

Water spray. Foam. Dry chemical. Carbon dioxide.

Unsuitable extinguishing media

Not available

Protection of firefighters**Specific hazards arising from the chemical**

Not available

Protective equipment for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxygen. Chlorine gas.

Explosion data**Sensitivity to mechanical impact**

Not available

Sensitivity to static discharge

Not available

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Methods for containment

Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.

7. Handling and Storage

Handling	<p>WARNING. Causes eye and skin irritation. Do not get this material in your eyes, on your skin, or on your clothing. Odors may irritate. Use only in well-ventilated areas. Avoid prolonged breathing of vapors. Use good industrial hygiene practices in handling this material. APPLY CAREFULLY, contains bleach. Do not mix with other household chemicals, such as products containing ammonia, toilet bowl cleaners, vinegars, or acidic cleaners or with other LYSOL® Brand products, as hazardous gases may be released. AVOID CONTACT with clothes, fabric, carpet, wood, rubber, painted and paper surfaces, and finished floors. Prolonged contact with metal, old porcelain, plastic laminate, quarry tile and marble may cause discoloration.</p> <p>Not recommended for use by persons with heart conditions or chronic respiratory problems such as asthma, emphysema or obstructive lung disease.</p>
Storage	<p>Store in original container in a cool, secure area inaccessible to children and pets. Do not reuse container.</p>

8. Exposure Controls / Personal Protection

Exposure limits	
Ingredient(s)	Exposure Limits
Sodium hydroxide	ACGIH-TLV Ceiling: 2 mg/m ³ OSHA-PEL TWA: 2 mg/m ³
Sodium hypochlorite	ACGIH-TLV Not established OSHA-PEL Not established
Engineering controls	Use only under good ventilation conditions or with respiratory protection.
Personal protective equipment	
Eye / face protection	Avoid contact with eyes. Wear safety glasses with side shields. Emergency responders should wear full eye and face protection.
Hand protection	DO NOT get on skin or clothing. For sensitive skin or prolonged use, wear rubber gloves. Emergency responders should wear impermeable gloves.
Skin and body protection	As required by employer code. Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.
Respiratory protection	Avoid prolonged breathing of vapor. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

Appearance	Clear.
Color	Light Straw
Form	aqueous solution
Odor	slight chlorine
Odor threshold	Not available
Physical state	Liquid
pH	12.4 (Basic)
Freezing point	Not available

Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	> 199.94 °F (> 93.3 °C) Tagliabue
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	1.045 @ 25°C
Octanol/water coefficient	Not available
Solubility (H2O)	Complete

10. Stability and Reactivity

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other household chemicals, such as products containing ammonia, toilet bowl cleaners, vinegars, or acidic cleaners or with other LYSOL® Brand products, as hazardous gases may be released.
Incompatible materials	Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Chlorine gas. Oxygen.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Sodium hydroxide	Not available
Sodium hypochlorite	> 5250 mg/m3 rat

Component analysis - Oral LD50

Ingredient(s)	LD50
Sodium hydroxide	Not available
Sodium hypochlorite	8200 mg/kg rat; 5800 mg/kg mouse

Effects of acute exposure

Eye	Causes eye irritation.
Skin	Causes skin irritation.
Inhalation	Odors may irritate.
Ingestion	Harmful if swallowed.
Sensitization	The finished product is not expected to have chronic health effects.
Chronic effects	The finished product is not expected to have chronic health effects.
Carcinogenicity	The finished product is not expected to have chronic health effects.
IARC - Group 3 (Not Classifiable)	
Sodium hypochlorite	7681-52-9 Monograph 52 [1991] (listed under Hypochlorite salts)
Mutagenicity	The finished product is not expected to have chronic health effects.
Reproductive effects	The finished product is not expected to have chronic health effects.
Teratogenicity	The finished product is not expected to have chronic health effects.
Synergistic Materials	Not available

12. Ecological Information

Ecotoxicity Bulk quantities, if spilled, may be toxic to aquatic organisms, fish, birds and mammals. Control and clean up all exterior spills and prevent liquid from entering any streams, rivers, lakes and all other bodies of water.

Ecotoxicity - Freshwater Algae Data

Sodium hypochlorite 7681-52-9 24 Hr EC50 Skeletonema costatum: 0.095 mg/L

Ecotoxicity - Freshwater Fish Species Data

Sodium hydroxide 1310-73-2 96 Hr LC50 Oncorhynchus mykiss: 45.4 mg/L [static]
Sodium hypochlorite 7681-52-9 96 Hr LC50 Pimephales promelas: 0.06-0.11 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: 4.5-7.6 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 0.4-0.8 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 0.28-1 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: 0.05-0.771 mg/L [flow-through]; 96 Hr LC50 Oncorhynchus mykiss: >0.03-<0.19 mg/L [semi-static]; 96 Hr LC50 Oncorhynchus mykiss: 0.18-0.22 mg/L [static]

Ecotoxicity - Water Flea Data

Sodium hypochlorite 7681-52-9 96 Hr EC50 Daphnia magna: 2.1 mg/L; 48 Hr EC50 Daphnia magna: 0.033 - 0.044 mg/L [Static]

Environmental effects Not available

Aquatic toxicity Not available

Persistence / degradability Not available

Bioaccumulation / accumulation Not available

Partition coefficient Not available

Mobility in environmental media Not available

Chemical fate information Not available

13. Disposal Considerations

Waste codes Not available

Disposal instructions Dispose in accordance with all applicable regulations.
Small amounts of waste: Wipe up with a wet paper towel and discard absorbed material in trash collection. Do not reuse empty container. Rinse container and offer for recycling where facilities exist.
Large quantities of waste liquid: Contain and collect for evaluation and disposal according to local, state, provincial and federal regulations.

Waste from residues / unused products Not available

Contaminated packaging Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN 3266, Corrosive liquid, basic, inorganic, N.O.S.
(Sodium Hydroxide, Sodium Hypochlorite), Class 8, PG III, Limited Quantity. Re-classed as Consumer Commodity ORM-D

Transportation of Dangerous Goods (TDG - Canada)

UN 3266, Corrosive liquid, basic, inorganic, N.O.S.
(Sodium Hydroxide, Sodium Hypochlorite), Class 8, PG
III, Limited Quantity. Re-classed as Consumer
Commodity/ LTD. QTY.

IMDG (Marine Transport)

UN 3266, Corrosive liquid, basic, inorganic, N.O.S.
(Sodium Hydroxide, Sodium Hypochlorite), Class 8, PG
III, Limited Quantity.

IATA/ICAO (Air)

UN 3266, Corrosive liquid, basic, inorganic, N.O.S.
(Sodium Hydroxide, Sodium Hypochlorite), Class 8, PG
III

15. Regulatory Information

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Product Registration: Not registered

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Sodium hydroxide	1310-73-2	1000 Lb final RQ; 454 kg final RQ
Sodium hypochlorite	7681-52-9	100 Lb final RQ; 45.4 kg final RQ

U.S. - CWA (Clean Water Act) - Hazardous Substances

Sodium hydroxide	1310-73-2	Present
Sodium hypochlorite	7681-52-9	Present

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

CERCLA (Superfund) reportable quantity

Sodium hypochlorite: 100.0000
 Sodium hydroxide: 1000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
 Delayed Hazard - No
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - Yes

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Sodium hydroxide 1310-73-2 Present
 Sodium hypochlorite 7681-52-9 Present

U.S. - Louisiana - Reportable Quantity List for Pollutants

Sodium hydroxide 1310-73-2 1000 Lb final RQ; 454 kg final RQ
 Sodium hypochlorite 7681-52-9 100 Lb final RQ; 45.4 kg final RQ

U.S. - Massachusetts - Right To Know List

Sodium hydroxide 1310-73-2 Present
 Sodium hypochlorite 7681-52-9 Present

U.S. - Minnesota - Hazardous Substance List

Sodium hydroxide 1310-73-2 Present
 Sodium hypochlorite 7681-52-9 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Sodium hydroxide 1310-73-2 sn 1706
 Sodium hypochlorite 7681-52-9 sn 1707

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

Sodium hydroxide 1310-73-2 1000 Lb RQ (air); 100 lb RQ (land/water)
 Sodium hypochlorite 7681-52-9 100 Lb RQ (air); 100 lb RQ (land/water)

U.S. - Pennsylvania - RTK (Right to Know) List

Sodium hydroxide 1310-73-2 Environmental hazard
 Sodium hypochlorite 7681-52-9 Environmental hazard

U.S. - Rhode Island - Hazardous Substance List

Sodium hydroxide 1310-73-2 Toxic; Flammable

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information**Disclaimer**

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

36241-94532-9 - Professional LYSOL® All Purpose Cleaner with Bleach - 32 oz. - 355389

Issue date

29-Jun-2010

Effective date

30-Jun-2010

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.