Conforms to USDOL OSHA 29CFR 1910.1200 HAZCOM

SAFETY DATA SHEET

Air Wick Vaporino - Almond Cherry & Vanilla



1/13

1. Product and company identification

Product name	: Air Wick Vaporino - Almond Cherry & Vanilla
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
	Reckitt Benckiser (Canada) Inc. 1680 Tech Avenue, Unit #2 Mississauga, Ontario L4W 5S9 CANADA Telephone: +1 905 283 7000
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com

Product use : Air care, continuous action (solid and liquid)

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	: D8308262 v5.0	
Formulation #:	: 8300063 v1.0	
UPC Code / Sizes	: Liquid autospray/battery ope	rated

2. Hazards identification Classification of the substance or mixture : FLAMMABLE LIQUIDS - Category 4 EYE IRRITATION - Category 2A GHS label elements : FLAMMABLE LIQUIDS - Category 2A Hazard pictograms : Comparison

2. Hazards identification

Signal word	: CAUTION
Hazard statements	: Combustible liquid. Causes serious eye irritation.
Precautionary statements	
General	: Keep out of reach of children and pets. If medical advice is needed, have product container or label at hand.
Prevention	: Wash hands thoroughly after handling.
Response	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, seek medical advice/attention. IF SWALLOWED: Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.
Storage	: Store in a well-ventilated place. Keep cool.
Disposal	 Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: None known.
Hazards not otherwise classified	: None known.

3. Composition/information on ingredients

B 4 ' 4
 N/IIVturo
 Mixture

Ingredient name	%	CAS number
Linalool 4-tert-Butylcyclohexyl acetate d-Limonene dl-Limonene (racemic)	0.1 - 1 0.1 - 1 0.1 - 1 0.1 - 1 0.1 - 1	78-70-6 32210-23-4 5989-27-5 138-86-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Substance/mixture

Description of necess	<u>ary first aid measures</u>
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

4. First aid measures

Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute healt	n effects
Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs	/symptoms
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Indication of immediate me	lical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO ₂ , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: Combustible liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.
Hazardous thermal decomposition products	 Decomposition products may include the following materials: carbon dioxide carbon monoxide

3/13

D8308262	v5.	0
----------	-----	---

5. Fire-fighting measures

Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protec	tive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ntainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.

4/13

Control

7. Handling and storage

Conditions for safe storage,	1	Store in accordance with local regulations. Store in a segregated and approved area.
including any		Store in original container protected from direct sunlight in a dry, cool and well-ventilated
incompatibilities		area, away from incompatible materials (see Section 10) and food and drink. Eliminate
		all ignition sources. Separate from oxidizing materials. Keep container tightly closed
		and sealed until ready for use. Containers that have been opened must be carefully
		resealed and kept upright to prevent leakage. Do not store in unlabeled containers.
		Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Ingredient name			Exposure limits
dl-Limonene (racemic)			AIHA WEEL (United States, 10/2011). TWA: 30 ppm 8 hours.
Appropriate engineering controls	c r v	other engineering controls to keep worke recommended or statutory limits. The e	process enclosures, local exhaust ventilation o er exposure to airborne contaminants below any ngineering controls also need to keep gas, lower explosive limits. Use explosion-proof
Environmental exposure controls	t	they comply with the requirements of en	ess equipment should be checked to ensure vironmental protection legislation. In some ering modifications to the process equipment acceptable levels.
Individual protection meas	<u>ures</u>		
Hygiene measures		eating, smoking and using the lavatory a Appropriate techniques should be used	to remove potentially contaminated clothing. sing. Ensure that eyewash stations and safety
Eye/face protection	á	assessment indicates this is necessary t gases or dusts. If contact is possible, th	oved standard should be used when a risk to avoid exposure to liquid splashes, mists, ne following protection should be worn, unless see of protection: chemical splash goggles.
Skin protection			
Hand protection	/ 	worn at all times when handling chemican necessary. Considering the parameters during use that the gloves are still retain noted that the time to breakthrough for a	omplying with an approved standard should be al products if a risk assessment indicates this is a specified by the glove manufacturer, check ing their protective properties. It should be any glove material may be different for different actures, consisting of several substances, the accurately estimated.
Body protection	ł	Personal protective equipment for the bo performed and the risks involved and sh handling this product.	ody should be selected based on the task being ould be approved by a specialist before
Other skin protection	ł		skin protection measures should be selected the risks involved and should be approved by a
Respiratory protection	á I	appropriate standard or certification. Re	xposure, select a respirator that meets the espirators must be used according to a e proper fitting, training, and other important

5/13

9. Physical and chemical properties

Appearance

Physical state	: Liquid.
Color	: Colorless to light yellow.
Odor	: Characteristic.
Odor threshold	: Not available.
рН	: Not available.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: 71°C (159.8°F)
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: Not available.
Solubility	: Not available.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Flow time (ISO 2431)	: Not available.

10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Acute toxicity

11. Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
Linalool	LD50 Dermal	Rabbit	5610 mg/kg	-
	LD50 Dermal	Rat	5610 mg/kg	-
	LD50 Oral	Rat	2790 mg/kg	-
4-tert-Butylcyclohexyl acetate	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	3550 mg/kg	-
d-Limonene	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	4400 mg/kg	-
dl-Limonene (racemic)	LD50 Oral	Rat	5300 mg/kg	-

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Linalool	Eyes - Moderate irritant	Rabbit	-	1 hours 0.1	-
				Mililiters	
	Eyes - Moderate irritant	Rabbit	-	100	-
				microliters	
	Skin - Moderate irritant	Guinea pig	-	24 hours 100	-
				milligrams	
	Skin - Mild irritant	Human	-	72 hours 32	-
				Percent	
	Skin - Mild irritant	Man	-	48 hours 16	-
				milligrams	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				milligrams	
	Skin - Severe irritant	Rabbit	-	24 hours 100	-
				milligrams	
4-tert-Butylcyclohexyl acetate	Skin - Mild irritant	Guinea pig	-	4 hours 3	-
				Percent	
	Skin - Moderate irritant	Rabbit	-	4 hours 100	-
		D 11 1		Percent	
	Skin - Moderate irritant	Rabbit	-	24 hours 500	-
		D 11 1		milligrams	
d-Limonene	Skin - Mild irritant	Rabbit	-	24 hours 10	-
		Dahhit		Percent	
dl-Limonene (racemic)	Skin - Moderate irritant	Rabbit	-	24 hours 500	-
				milligrams	

Conclusion/Summary

Skin

Eyes

Respiratory

: Based on available data, the classification criteria are not met.

: Based on Calculation method: Causes eye irritation.

: Based on available data, the classification criteria are not met.

Sensitization

Not available.

Concl	usion/Summary				
Skin		: Based on ava	ailable data, the classifi	cation criteria are not	met.
Resp	biratory	: Based on ava	ailable data, the classifi	cation criteria are not	met.
Mutage Not ava					
Concl	usion/Summary	: Based on ava	ailable data, the classifi	cation criteria are not	met.
Carcino	ogenicity				
Code #	: D8308262 (NA)	SDS #	: D8308262 v5.0	Date of issue :	04/10/2017

11. Toxicological information

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Classification

	Product/ingredient name	OSHA	IARC	NTP
E	d-Limonene	-	3	-

Reproductive toxicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Teratogenicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Name	Result
	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure	: Not available.			
Potential acute health effect				
Eye contact	: Causes serious eye irritation.			
Inhalation	: No known significant effects or critical hazards.			
Skin contact	: No known significant effects or critical hazards.			
Ingestion	: No known significant effects or critical hazards.			
Symptoms related to the phy	sical, chemical and toxicological characteristics			
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness			
Inhalation	: No specific data.			
Skin contact	: No specific data.			
Ingestion	: No specific data.			
Delayed and immediate effect	ts and also chronic effects from short and long term exposure			
Potential immediate effects	: Not available.			
Potential delayed effects	: Not available.			
Code # : D8308262 (NA)	SDS # : D8308262 v5.0 Date of issue : 04/10/2017			

11. Toxicological information

5 5 5 5	
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	ects
Not available.	
Conclusion/Summary	: Based on available data, the classification criteria are not met.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Numerical measures of toxic	ity

Numerical measures of toxicity

Acute toxicity estimates

Not available.

12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Linalool	Acute EC50 36.7 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 28.8 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
d-Limonene	Acute EC50 421 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 688 µg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
dl-Limonene (racemic)	Acute EC50 28.2 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 20.2 mg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling,	96 hours
	Acute IC50 13.798 mg/l Fresh water	Weanling) Algae - Pseudokirchneriella subcapitata	96 hours

Persistence and degradability

Product/ingredient name	Test	Result		Dose		Inoculum
Linalool	-	62.4 % - Re	eadily - 28 days	-		-
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	radability
Linalool	_		-		Readily	

Bioaccumulative potential

12. Ecological information

_			
Product/ingredient name	LogPow	BCF	Potential
Linalool 4-tert-Butylcyclohexyl acetate d-Limonene	2.84 4.8 4.38		low high high
dl-Limonene (racemic)	4.57	-	high

Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not Regulated.	Not applicable.	Not available.	-		-
TDG Classification	Not Regulated.	Not applicable.	Not available.	-		-
Mexico Classification	Not Regulated.	Not applicable.	Not available.	-		-
IMDG Class	Not Regulated.	Not applicable.	Not available.	-		-
IATA-DGR Class	Not Regulated.	Not applicable.	Not available.	-		-

14. Transport information

Special precautions for user	1	Transport within user's premises: always transport in closed containers that are
		upright and secure. Ensure that persons transporting the product know what to do in the
		event of an accident or spillage.

PG* : Packing group

15. Regulatory information

	<u> </u>										
U.S. Federal regulations	:	TSCA 8(a) PAIR: (2-methoxymethylethoxy)propanol; benzaldehyde; anisaldehyde; 3- ethoxy-4-hydroxybenzaldehyde; α-hexylcinnamaldehyde; isopentyl acetate; cinnamaldehyde; phenylacetaldehyde; 2-benzylideneheptanal									
		TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined.									
		Clean W	ater Act (CW	/A) 311 : i	sopentyl aceta	te					
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	:	Listed									
Clean Air Act Section 602 Class I Substances	:	Not listed									
Clean Air Act Section 602 Class II Substances	:	Not listed									
DEA List I Chemicals (Precursor Chemicals)	:	: Not listed									
DEA List II Chemicals (Essential Chemicals)	:	Not listed									
SARA 302/304											
Composition/information	on	<u>ingredier</u>	<u>nts</u>								
No products were found.											
SARA 304 RQ	:	Not appl	icable.								
<u>SARA 311/312</u>											
Classification	:	Fire haza Immedia	ard ite (acute) hea	alth haza	rd						
Composition/information	on	<u>ingredier</u>	<u>nts</u>								
Name			%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health	Delayed (chronic) health			

			pressure			hazard
Linalool	0.1 - 1	Yes.	No.	No.	Yes.	No.
4-tert-Butylcyclohexyl acetate	0.1 - 1	No.	No.	No.	Yes.	No.
d-Limonene	0.1 - 1	Yes.	No.	No.	Yes.	No.
dl-Limonene (racemic)	0.1 - 1	Yes.	No.	No.	Yes.	No.

State regulations

Massachusetts
New York

The following components are listed: DIPROPYLENE GLYCOL METHYL ETHERNone of the components are listed.

15. Regulatory inf	ormation
New Jersey	: The following components are listed: DIPROPYLENE GLYCOL METHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL
Pennsylvania	: The following components are listed: PROPANOL, (2-METHOXYMETHYLETHOXY)-
<u>Canada</u>	
WHMIS (Canada)	: Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).
<u>Canadian lists</u>	
Canadian NPRI	: None of the components are listed.
CEPA Toxic substances	: None of the components are listed.
Canada inventory	: Not determined.
Label elements	
Signal word	: CAUTION
Hazard statements	: Combustible liquid. CAUSES EYE IRRITATION.
Precautionary measures	: Keep out of reach of children and pets. Avoid contact with eyes.
Additional information	: If in eyes, immediately rinse eyes with water. Remove any contact lenses if present and continue rinsing for 15 minutes. If irritation persists, get medical attention. If on skin, rinse well with water. If skin irritation occurs, seek medical advice/attention. IF SWALLOWED: Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.
Recommendations	: People suffering from perfume sensitivity should be cautious when using this product. Air Fresheners do not replace good hygiene practices.

16. Other information

Hazardous Material	:		
Information System (U.S.A.)			
	Health	*	0
	Flammability		2
	Physical hazards		0

В

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

÷

Physical hazards

Personal protection

National Fire Protection Association (U.S.A.)



16. Other information

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Date of issue	: 04/10/2017
Date of previous issue	: 29/09/2017
Version	: 5
Prepared by	: Reckitt Benckiser India Ltd Plot No 48 Sector - 32 Institutional Area Gurgaon, Haryana India - 122001

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.